




PRODUCT CATALOGUE THIRTEEN



OUR CODE

We strive to supply our customers with products of outstanding functional design and quality.

We strive to be a reliable supplier with timeous delivery, competitive prices and to conduct our business with integrity and honesty.

We strive to grow our business with earned profits invested for the benefit of our customers, our staff, our suppliers and capital providers.

We strive to be recognised as an innovator and leader in the industry.

We Strive to be First in Fittings

Branches

JOHANNESBURG

Unit 26 Eastgate Business Park
Cnr South Road & Marlboro Dr
Sandton

Tel: 011 444 9120

BOKSBURG

Unit 1 Hughes Park
No. 4, Herman Peters Rd
Boksburg

Tel: 011 826 2872

CENTURION

(Boardmart Premises)
Cnr Tlokwa & Mann Avenue
Louwlandia, Centurion

TEL: 010 350 0801

BLOEMFONTEIN

2 - 8 Hornby Street
Oranjesig
Bloemfontein

TEL: 051 434 1266

DURBAN

Unit 12 Capital Park
3 Hillhead Drive
Mount Edgecombe
Durban

TEL: 031 569 6969

CAPE TOWN

58 Willow Road
Stikland
Cape Town


TEL: 021 905 1225/6

GQEERHA (P.E)

42 5th Avenue
Newton Park,
Gqeberha (P.E)

Tel: 041 365 2130

TABLE OF CONTENTS

CATEGORY	DESCRIPTION	PAGES
 1 SINKS & MIXERS	1.1 Franke 1.2 Livinox 1.3 Teka 1.4 Other	4 - 19 20 - 22 23 - 25 26 - 27
 2 HANDLES & KNOBS	2.1 Contemporary Handles 2.2 Bar Handles 2.3 Antique Handles 2.4 Wooden & Plastic Handles	28 - 43 44 - 46 47 - 52 53 - 55
 3 KITCHEN & BEDROOM ACCESSORIES	3.1 Accessories Kitchen 3.1.1 Compagnucci, Gollinucci, FGV 3.1.2 Bed/Bathroom Accessories	56 - 75 76 - 84
 4 LIGHTING & ELECTRICAL	4.1 Lighting & Electrical	85 - 90
 5 LEGS & CASTORS	5.1 Legs & Castors	91 - 94
 6 HINGE SYSTEMS & LIFT SYSTEMS	6.1 Hinges - FGV 6.2 Hinges - CABX <i>ECONO</i> 6.3 Hinges - Salice..... 6.4 Hinges - Other	95 - 104 105 - 106 107 - 109 110
 7 DRAWER RUNNERS & SLIDES	7.1 Drawer Runners - FGV 7.2 Drawer Runners - CABX <i>ECONO</i>	111 - 117 118 - 119
 8 COMPONENTS & CONSUMABLES	8.1 Components & Consumables 8.2 Shelf Brackets 8.3 Ironmongery 8.4 Screws & Fasteners 8.5 Pneumatic Equipment & Tools 8.6 Silicone & Adhesives 8.7 Tubing & Cupboard Rail	120 -126 127 128 -130 131 132 133 134
INDEX		135 -138
    		

The information and data supplied in this catalogue is based of facts believed to be reliable, however it is not binding and inaccuracies may occur. We reserve the right to change specifications and designs without notice. colour variations may occur as a result of the printing process

SINKS & MIXERS



FRANKE


FRAGRANITE SINKS (INCLUDES 90MM BASKET WASTE STRAINER WITH OVERFLOW KIT)



R931250002
KUBUS-KBG110-34
UNDERMOUNT SINK
367 x 480 x 200
Polar White

BOWL DIMENSIONS


Length	Width	Depth
340	400	200



R931250003
KUBUS-KBG110-34
UNDERMOUNT SINK
367 x 480 x 200
Onyx Black

BOWL DIMENSIONS


Length	Width	Depth
340	400	200



R931250083
KUBUS-KBG110-34
UNDERMOUNT SINK
367 x 480 x 200
Stone Grey

BOWL DIMENSIONS


Length	Width	Depth
340	400	200



R931250004
KUBUS-KBG110-50
UNDERMOUNT SINK
540 X 440 X 200
Polar White

BOWL DIMENSIONS

Length	Width	Depth
500	400	200






FRAGRANITE SINKS (INCLUDES 90MM BASKET WASTE STRAINER WITH OVERFLOW KIT)



R93125005
KUBUS-KBG110-50
UNDERMOUNT SINK
540 x 440 x 200
Onyx (Black)

BOWL DIMENSIONS


Length	Width	Depth
500	400	200



R93190084
KUBUS KBG110-50
UNDERMOUNT SINK
540 x 440 x 200
Stone Grey

BOWL DIMENSIONS


Length	Width	Depth
500	400	200



R93125006
KUBUS KBG110-70
UNDERMOUNT SINK
802 x 460 x 200
Polar White

BOWL DIMENSIONS


Length	Width	Depth
742	410	200



R93125007
KUBUS KBG110-70
UNDERMOUNT SINK
802 x 460 x 200
Onyx (Black)

BOWL DIMENSIONS

Length	Width	Depth
742	410	200




FRAGRANITE SINKS (INCLUDES 90MM BASKET WASTE STRAINER WITH OVERFLOW KIT)



R93190085
KUBUS KBG110-70
UNDERMOUNT SINK
802 x 460 x 200
Stone Grey

BOWL DIMENSIONS


Length	Width	Depth
742	410	200



R93100052
MARIS MRG621
INSET SINK
1160 x 500 x 200
Polar White

BOWL DIMENSIONS


Length	Width	Depth
335	425	200



R93140008
MARIS MRG621
INSET SINK
1160 x 500 x 200
Onyx (Black)

BOWL DIMENSIONS


Length	Width	Depth
335	425	200



R93100072
MARIS MRG621
INSET SINK
1160 x 500 x 200
Stone Grey

BOWL DIMENSIONS

Length	Width	Depth
335	425	200





FRAGRANITE SINKS (INCLUDES 90MM BASKET WASTE STRAINER)



R93190082
RONDO PREP BOWL
 610-41/510
 With Overflow
 Polar White

BOWL DIMENSIONS


Out	In	Depth
510	400	200



R93190080
RONDA PREP BOWL
 610-41/510
 With Overflow
 Onyx Black

BOWL DIMENSIONS

Out	In	Depth
510	400	200



R93190081
RONDO PREP BOWL
 610-41/510
 With Overflow
 Stone Grey

BOWL DIMENSIONS

Out	In	Depth
510	400	200




UNDERMOUNT SINKS (INCLUDES 90MM BASKET WASTE STRAINER)



R931990090
MARIS UNDERMOUNT
 MRX110-55
 590 x 440 x 180
 Stainless Steel

BOWL DIMENSIONS


Length	Width	Depth
550	400	180



R931990091
MARIS UNDERMOUNT
 MRX110-45
 490 x 440 x 180
 Stainless Steel

BOWL DIMENSIONS


Length	Width	Depth
450	400	180



R931990092
MARIS UNDERMOUNT
 MRX110-19
 230 x 440 x 130
 Stainless Steel

BOWL DIMENSIONS


Length	Width	Depth
190	400	130



R931990093
MARIS UNDERMOUNT
 MRX110-70
 740 x 440 x 180
 Stainless Steel

BOWL DIMENSIONS


Length	Width	Depth
700	400	180



R931990094
MARIS UNDERMOUNT
 MRX110-34
 380 x 440 x 180
 Stainless Steel

BOWL DIMENSIONS

Length	Width	Depth
340	400	180






INSET SINKS (INCLUDES 90MM BASKET WASTE STRAINER)



R91990098
ARMONIA UNDERMOUNT
AMX120B
765 X 450 X 180

BOWL DIMENSIONS


Length	Width	Depth
340	400	180



R990095
SELENE UNDERMOUNT SINK
SLX 110-40
428 X 428 X 190

BOWL DIMENSIONS


Length	Width	Depth
428	428	190



R9820112
CUB 150
UNDERMOUNT SINK
390 x 455

BOWL DIMENSIONS


Length	Width	Depth
345	410	140



R9820114
CUB 130
UNDERMOUNT SINK
190 x 310

BOWL DIMENSIONS


Length	Width	Depth
160	280	126



INSET SINKS (INCLUDES 90MM BASKET WASTE STRAINER)



R9310072
NEPTUNE DOUBLE END BOWL
RIGHT HAND DRAINER
 1160 x 510
 Model: NEX621



R9310073
NEPTUNE DOUBLE END BOWL
LEFT HAND DRAINER
 1160 x 510
 Model: NEX621

BOWL DIMENSIONS


Length	Width	Depth
360	420	200



R9310327 - RIGHT HAND DRAINER
STUDIO CORNER SINK
 830 x 830
 Model: STX621

BOWL DIMENSIONS

Length	Width	Depth
400	340	198
340	300	178



R9310328 - LEFT HAND DRAINER
STUDIO CORNER SINK
 830 x 830
 Model: STX621

BOWL DIMENSIONS

Length	Width	Depth
400	340	198
340	300	178


INSET SINKS (INCLUDES 90MM BASKET WASTE STRAINER)



R9811023
NOUVEAU SINGLE END BOWL
SATIN FINISH
 800 x 460
 Model: NVN611

BOWL DIMENSIONS


Length	Width	Depth
340	370	149



R9811024
NOUVEAU DOUBLE END BOWL
SATIN FINISH
 1160 X 460
 Model: NVN621

BOWL DIMENSIONS

Length	Width	Depth
340	370	149




R9820000
QUILINE SINGLE END BOWL
 900 x 500
 Model: QLX611

BOWL DIMENSIONS

Length	Width	Depth
343	410	166

Mixer Not Included




R9820002
QUILINE DOUBLE END BOWL
 970 x 500
 Model: QLX670

BOWL DIMENSIONS

Length	Width	Depth
343	410	157
160	280	139

Mixer Not Included




R9820004
QUILINE 1 1/2 BOWL
 970 x 500
 Model: QLX651

BOWL DIMENSIONS

Length	Width	Depth
343	410	179
160	280	132

Mixer Not Included




INSET SINKS (INCLUDES 90MM BASKET WASTE STRAINER)



R9820006
QUILINE 1 1/4 BOWL
 1100 x 500
 Models: QLX621 - 110

BOWL DIMENSIONS


Length	Width	Depth
343	410	157
323	315	131



R9820008
QUILINE DOUBLE END BOWL
 1200 x 500
 Model: QLX621 - 120

BOWL DIMENSIONS


Length	Width	Depth
343	410	149
343	410	149



R9820018
QUILINE DOUBLE CENTRE BOWL
 1500 x 500
 Model: QLX622

BOWL DIMENSIONS



Length	Width	Depth
343	410	153
343	410	153



R9820121
CASCADE 2 1/2 BOWL
 1360 x 500
 Model: CDX671

BOWL DIMENSIONS


Length	Width	Depth
343	410	157
160	280	139



R9821017
CASCADE DOUBLE END BOWL
 1200 x 500
 Model: CDX621-120

BOWL DIMENSIONS

Length	Width	Depth
343	410	157
343	410	157





INSET SINKS





R9821059
CASCADE SINGLE END BOWL
 CDX611
 925 x 500

BOWL DIMENSIONS

Length	Width	Depth
343	410	169

Includes a 90mm basket waste strainer




R9311652
PROJECTLINE DOUBLE END BOWL
 1160 x 460
 Model: PLN621

BOWL DIMENSIONS

Length	Width	Depth
340	370	140

R9302021
 Includes 38mm PVC waste and plug fittings




R9310332
PROJECTLINE SINGLE END BOWL
 800 x 460
 Model: PLN611

BOWL DIMENSIONS

Length	Width	Depth
340	370	140

R9302021
 Includes a 38mm PVC waste and plug fitting



SIT-ON SINKS (ORDER 38MM PVC WASTE & PLUG SEPARATELY)



R9310331
TRENDLINE SINK SINGLE END BOWL
800 x 460

ALSO AVAILABLE IN BELOW SIZE

91030002 - 900 x 535

R9311050 - 1000 x 460


R91030009 - 1200 x 535



R9310507
SA94 SINK SINGLE END BOWL
900 x 460

BOWL DIMENSIONS

Length	Width	Depth
460	410	140



R9312081
TRENDLINE SINK DOUBLE END BOWL
1200 x 535



R9312880
TRENDLINE SINK DOUBLE CENTRE BOWL
1500 x 535

ALSO AVAILABLE IN BELOW SIZE

R9313852

1800 x 535





INSET PREP BOWLS




Tap not
Included

R9820052
RONDO PREPARATION BOWL WITH TAP HOLE
AND NO OVERFLOW
Ø 485
Bowl Depth: 161
Model: RDX610-48

BOWL DIMENSIONS

Out Ø	In Ø	Depth
485	380	161

Includes a 90mm basket waste strainer




Tap not
Included

R9820054
RONDO PREPARATION BOWL WITH TAP HOLE
AND OVERFLOW
Ø 485
Bowl Depth: 161
Model: RDX610-48

BOWL DIMENSIONS

Out Ø	In Ø	Depth
485	380	161

Includes a 90mm basket waste strainer




R9820058
RONDO PREPARATION BOWL
NO OVERFLOW
Ø 450
Bowl Depth: 161
Model: RDX610-45

BOWL DIMENSIONS

Out Ø	In Ø	Depth
450	380	161

Includes a 90mm basket waste strainer




R9820064
PREPARATION BOWL
Ø 340
Bowl Depth: 139
Model: RDX610-34

BOWL DIMENSIONS

Out Ø	In Ø	Depth
410	360	165

Includes a 38mm PVC waste & plug




R9310250
PREPARATION BOWL
Ø 450
Bowl Depth: 157
Model: RDX610-44

BOWL DIMENSIONS

Out Ø	In Ø	Depth
450	415	157

Includes a 38mm PVC waste & plug




WASHTROUGHS (ORDER 38MM PVC WASTE & PLUG SEPARATELY)



R9318650
LUXTUB WASHTROUGH
600 x 500

BOWL DIMENSIONS


Length	Width	Depth
525	425	257



R9318619
SIRX WASHTROUGH
500 x 450

BOWL DIMENSIONS


Length	Width	Depth
450	400	240



R9320200
ECONOMY DOUBLE WASHTROUGH
ET102
1030 x 430

BOWL DIMENSIONS


Length	Width	Depth
485	395	300



R9320811
ECONOMY SINGLE WASHTROUGH
ET101 Y
540 x 440

BOWL DIMENSIONS

Length	Width	Depth
485	395	300



ACCESSORIES



R9303207
INOX CREME FRANKE



R9303043
TAP HOLE STOPPER



R9300651
BASKET WASTE STRAINER
90mm



R9302021
PVC WASTE & PLUG
38mm



R9302201
BASKET STRAINER
90mm



RWSP1
SPAZIO 1 PLUMBING KIT



RWSP2
SPAZIO 2 PLUMBING KIT




R9303110
0.75 HP WASTE DISPOSER WITH AIR SWITCH

SPECIFICATION

Franke Waste Disposer 3/4HP, complete with Air Switch. Waste Disposer to be fitted to a sink or prepbowl (sink/prep bowl elsewhere measured).

- Food waste disposer with Air Switch and Brush Plug
- Durable & Energy efficient, minimises waste & odours
- Hygienic & effective disposal of waste in the home.
- Stainless Steel grinding chamber
- Requires a 90mm waste fitting outlet
- For hygienic purposes, fruit & vegetable peels, rice, soft chicken bones and egg shells may be effortlessly ground with water and flushed through the pipe work system



R9303204
**STAINLESS STEEL
WORKTOP BIN**

Outside Diameter - 306mm
Synthetic Bin Bucket
Volume - 14 Litre

SINK MIXERS



R93050032
ACTIVE PLUS MIXER
Onyx (Black) & Chrome



R93050034
PESCARA MIXER
360 Degree



R93050031
ACTIVE PLUS MIXER
White & Chrome



R93050033
FLEXUS S PROFESSIONAL MIXER



R9305062
CASCADE PROFESSIONAL MIXER



R93050035
NEPTUNE FILTER FLOW MIXER
With Water Purification Cartridge



R93030195
REPLACEMENT FILTER FOR NEPTUNE FILTER FLOW MIXER
11 350 litre capacity



R93150023
MIRUS PROFESSIONAL SINK MIXER



R93150026
LUCIDO SWIVEL MIXER



R9305065
PROJECTLINE MIXER



R9305060
HIGH RISE SWIVEL MIXER



R9305050
ENIX SWIVEL MIXER



R93150036
SATURN CUBE MIXER
Stainless Steel



SINKS

Liv i n o x

SINKS




R89N138
LIVINOX DOUBLE BOWL
SATIN FINISH
1160 x 500

BOWL DIMENSIONS

Length	Width	Depth	Thickness
350	400	140	0.5

Includes 38mm waste fittings




R89N301
LIVINOX SINGLE BOWL
SATIN FINISH
780 x 435

BOWL DIMENSIONS

Length	Width	Depth	Thickness
377	342	150	0.5

Includes a 38mm waste fitting




RKREC138
LIVINOX DOUBLE DEEP BOWL
SATIN FINISH
1160 x 500

BOWL DIMENSIONS

Length	Width	Depth	Thickness
350	400	155	0.6

Includes 90mm basket waste strainers




RKREX335
BIANCA DOUBLE BOWL
POLISHED FINISH
1200 x 500

BOWL DIMENSIONS

Length	Width	Depth	Thickness
350	400	160	0.7

Includes 90mm basket waste strainers




RKREC152
BIANCA SINGLE END BOWL
SATIN FINISH
830 x 480

BOWL DIMENSIONS

Length	Width	Depth	Thickness
360	390	165	0.6

Includes a 90mm basket waste strainer




SINKS (INCLUDE 90MM BASKET WASTE STRAINER)



RKREX193
BIANCA DOUBLE SINK
No Drainers
480 X 830

BOWL DIMENSIONS


Length	Width	Depth	Thickness
410	360	175	0.8



RKREC157
RONDO PREP BOWL
with Mini drainer
Satin Finish
570 x 450

BOWL DIMENSIONS


Out Ø	In Ø	Depth	Thickness
450	360	160	0.6



RKREX103
UNDERMOUNT 103
Polished Finish
Ø 380

BOWL DIMENSIONS


Out Ø	In Ø	Depth	Thickness
420	380	200	0.8



RKREC192
RONDO PREP BOWL - ECONO
Ø 380
Satin Finish

BOWL DIMENSIONS


Length	Width	Depth	Thickness
435	380	175	0.8



RKREC101
UNDERMOUNT 101
Satin Finish
436 X 386
Bowl Depth: 180

BOWL DIMENSIONS


Length	Width	Depth	Thickness
400	350	180	0.6



RKREX002
UNDERMOUNT 002
POLISHED FINISH
340 X 410

BOWL DIMENSIONS

Length	Width	Depth	Thickness
340	410	190	0.8



SINKS & MIXERS



Teka
KÜCHENTECHNIK

SINKS (INCLUDE 90MM BASKET WASTE STRAINER)




R8924011
STAR BRIGHT DOUBLE END BOWL

Polished Finish
1160 x 500

BOWL DIMENSIONS

Length	Width	Depth
340	400	170




R8924013
TEKA STAR BRIGHT SINGLE END BOWL

790 x 500

BOWL DIMENSIONS

Length	Width	Depth
340	370	149




R8910125134
LINEA UNDERMOUNT SINK

Polished Stainless Steel
540 x 440 x 193

BOWL DIMENSIONS

Length	Width	Depth
500	400	193




R8910125116
LARGE BOWL UNDERMOUNT SINK

Polished Stainless Steel
787 x 482 x 250

BOWL DIMENSIONS

Length	Width	Depth
736	431	250




R8910125122
LARGE BOWL UNDERMOUNT SINK

Polished Stainless Steel
530 x 430 x 200

BOWL DIMENSIONS

Length	Width	Depth
500	400	200




R890390
ROUND UNDERMOUNT SINK

Ø 390
Bowl Depth: 180

BOWL DIMENSIONS

Out Ø	In Ø	Depth
390	390	180




SINKS (INCLUDE 90MM BASKET WASTE STRAINER)



R898453
DOUBLE BOWL UNDERMOUNT SINK
BE780
779 x 464 x 170

BOWL DIMENSIONS


Out Ø	In Ø	Depth
340	400	200
340	400	200



R8910124030
BASICO UNDERMOUNT SINK
SINGLE END BOWL
433 x 433 x 180

BOWL DIMENSIONS



Out Ø	In Ø	Depth
433	406	180



R894040
UNDERMOUNT SINK - UNPOLISHED
SINGLE BOWL
433 x 433 x 180

BOWL DIMENSIONS

Out Ø	In Ø	Depth
433	433	180





R894040PLUS
UNDERMOUNT SINK - POLISHED
Polished Stainless Steel
433 x 433 x 200



R892840
UNDERMOUNT SINK
307 x 433 x 180

BOWL DIMENSIONS



Out Ø	In Ø	Depth
307	433	180



R893437
UNDERMOUNT SINK
365 x 395 x 180

BOWL DIMENSIONS

Out Ø	In Ø	Depth
365	395	180



BUTLER SINKS (INCLUDE 90MM WASTE FITTING)



REV93000006
THIBERT BUTLER

White
595 x 630 x 210

BOWL DIMENSIONS

Length	Width	Depth
500	440	185

Mixer not included



REV93000009
THIBERT BUTLER

Black
595 x 630 x 210

BOWL DIMENSIONS

Length	Width	Depth
500	440	185

Mixer not included





REV93000021
THIBERT BUTLER

Titanium Grey
595 x 630 x 210

BOWL DIMENSIONS

Length	Width	Depth
500	440	185

Mixer not included




BUTLER SINKS (INCLUDE 90MM WASTE FITTING)




RBUB700
SINGLE BUTLER
White
600 x 400 x 200



RBUB700B
SINGLE BUTLER
Black
600 x 400 x 200




RBUB701
BUTLER DOUBLE
White
800 x 424 x 220







CONTEMPORARY HANDLES

GOLA HANDLE




GOLA C HANDLE

Code		Finish
RGOLA-C	3M Length	Natural Anodised
RGOLA-CMB	3M Length	Matt Black




GOLA J HANDLE

Code		Finish
RGOLA-J	3M Length	Natural Anodised
RGOLA-JMB	3M Length	Matt Black




GOLA C END CAP

Code	Finish
RGENDCALU	Aluminium
RGENDCBLK	Black




GOLA J END CAP

Code	Description
RGENDJALU-R	Aluminium - Right
RGENDJALU-L	Aluminium - Left
RGENDJBLK-L	Black - Left
RGENDJBLK-R	Black - Right




GOLA C INTERNAL CORNER BRACKET

Code	Finish
RGINTCALU	Aluminium
RGINTCBLK	Black




GOLA J INTERNAL CORNER BRACKET

Code	Finish
RGINTJALU	Aluminium
RGINTJBLK	Black




GOLA C EXTERNAL CORNER BRACKET

Code	Finish
RGEXTCALU	Aluminium
RGEXTCBLK	Black



GOLA J EXTERNAL CORNER BRACKET

Code	Finish
RGEXTJALU	Aluminium
RGEXTJBLK	Black



GOLA HANDLE L FIXING BRACKET

Code	Material
RGOLABRACKET	Galvanised Steel



CONTEMPORARY HANDLES

NEPTUNE KNOB - 16MM

Code						Finish
RTS82978BC	M4x22	16	45	22	8	Bright Chrome
RTS82978MB	M4x22	16	45	22	8	Matt Black
RTS82978SC	M4x22	16	45	22	8	Satin Chrome



NEPTUNE HANDLE - ALUMINIUM (LIGHT)

Brushed Nickel

Code						
CTS81571AL	M4x22	96	121	27	8	
CTS81572AL	M4x22	128	149	27	8	
CTS81576AL	M4x22	160	187	27	8	
CTS81573AL	M4x22	192	221	27	8	
CTS81574AL	M4x22	256	290	27	8	
CTS81575AL	M4x22	320	357	27	8	

Matt Black

CTS81571MB	M4x22	96	121	27	8	
CTS81572MB	M4x22	128	149	27	8	
CTS81573MB	M4x22	192	221	27	8	
CTS81574MB	M4x22	256	290	27	8	
CTS81575MB	M4x22	320	357	27	8	

Brushed Brass

CTS81571BBRS	M4x22	96	121	27	8	
CTS81572BBRS	M4x22	128	149	27	8	
CTS81573BBRS	M4x22	192	221	27	8	
CTS81574BBRS	M4x22	256	290	27	8	
CTS81575BBRS	M4x22	320	357	27	8	

Dark Grey

CTS81571DG	M4x22	96	121	27	8	
CTS81572DG	M4x22	128	149	27	8	
CTS81573DG	M4x22	192	221	27	8	
CTS81574DG	M4x22	256	290	27	8	
CTS81575DG	M4x22	320	357	27	8	

NEPTUNE HANDLE - (HEAVY)

Satin Chrome (Brushed Nickel)

RTS81571SC	M4x22	96	121	27	8	
RTS81572SC	M4x22	128	149	27	8	
RTS81573SC	M4x22	192	221	27	8	
RTS81574SC	M4x22	256	290	27	8	
RTS81575SC	M4x22	320	357	27	8	

Bright Chrome

RTS81572BC	M4x22	128	149	27	8	
RTS81573BC	M4x22	192	221	27	8	
RTS81574BC	M4x22	256	290	27	8	
RTS81575BC	M4x22	320	357	27	8	

Matt Black

RTS81572MB	M4x22	128	149	27	8	
RTS81573MB	M4x22	192	221	27	8	
RTS81574MB	M4x22	256	290	27	8	
RTS81575MB	M4x22	320	357	27	8	



CONTEMPORARY HANDLES

SQUARE BAR HANDLE - 12MM

12mm Stainless Steel

Code						Finish
CTSH90996BBS	M4x22	96	103	30	14	Brushed Brass
CTSH909128BBS	M4x22	128	140	30	14	Brushed Brass
CTSH909160BBS	M4x22	160	172	30	14	Brushed Brass
CTSH909192BBS	M4x22	192	205	30	14	Brushed Brass
CTSH909288BBS	M4x22	288	300	30	14	Brushed Brass
CTSH90996MB	M4x22	96	103	30	14	Matt Black
CTSH909128MB	M4x22	128	140	30	14	Matt Black
CTSH909160MB	M4x22	160	172	30	14	Matt Black
CTSH909192MB	M4x22	192	205	30	14	Matt Black
CTSH909288MB	M4x22	288	300	30	14	Matt Black
CTSH90996SS	M4x22	96	103	30	14	Stainless Steel
CTSH909128SS	M4x22	128	140	30	14	Stainless Steel
CTSH909160SS	M4x22	160	172	30	14	Stainless Steel
CTSH909192SS	M4x22	192	205	30	14	Stainless Steel
CTSH909288SS	M4x22	288	300	30	14	Stainless Steel
CTSH909400SS	M4x22	400	410	30	14	Stainless Steel

SQUARE BAR HANDLE - 15MM

15mm Stainless Steel


RTS18128SS	M4x22	128	142	38	15	Stainless Steel
RTS18160SS	M4x22	160	174	38	15	Stainless Steel
RTS18192SS	M4x22	192	206	38	15	Stainless Steel
RTS18288SS	M4x22	288	302	38	15	Stainless Steel



OVAL BAR HANDLE

Stainless Steel


Code					
AOVHANDLE192	M4x22	192	200	32	20
AOVHANDLE256	M4x22	256	264	32	20
AOVHANDLE320	M4x22	320	328	32	20



ARIES BAR HANDLE

Satin Chrome

Code					
RTS790128SC	M4x22	128	147	37	14
RTS790160SC	M4x22	160	179	37	14
RTS790192SC	M4x22	192	211	37	14
RTS790288SC	M4x22	288	307	37	14
RTS790352SC	M4x22	352	371	37	14



FLAT SQUARE HANDLE

Satin Chrome


Code					
RTS8300128SC	M4x22	128	135	25	12
RTS8300160SC	M4x22	160	168	25	12
RTS8300224SC	M4x22	224	230	25	12
RTS830096SC	M4x22	96	102	25	12

FLAT SQUARE HANDLE

Brushed Brass

RTS8300128BBS	M4x22	128	135	25	12
RTS8300160BBS	M4x22	160	168	25	12
RTS8300224BBS	M4x22	224	230	25	12
RTS830096BBS	M4x22	96	102	25	12





CONTEMPORARY LEATHER HANDLES



LEATHER HANDLE						
Code						Finish
RTS5120128BLK	M4X22	128	168	5	30	Black & Brass
RTS5120128BRN	M4X22	128	168	5	30	Brown & Brass
RTS5120128TN	M4X22	128	168	5	30	Tan & Brass
Can be used as a conventional handle or as a pull handle						

LEATHER PULL HANDLE						
Leather and Satin Chrome						
Code						
RTS44264LSC	M4x16	64	74	25	5	
RTS44232LSC	M4x16	32	42	25	5	




CONTEMPORARY HANDLES



BUTTERCUP HANDLE						
Code						Finish
RTS8038SC	M4x22	64	104	32	24	Satin Chrome
RTS8038BC	M4x22	64	104	32	24	Bright Chrome
RTS8038MB	M4x22	64	104	32	24	Matt Black



SMALL CUP HANDLE						
Code						Finish
RTS4016MB	M4x20	64	87	16	32	Matt Black
RTS4016SC	M4x20	64	87	16	32	Satin Chrome



HALF ROUND CUP HANDLE						
Code						Finish
RTS9530SC	M4x22	32	74	34	22	Satin Chrome
RTS9530MB	M4x22	32	74	34	22	Matt Black
RTS9530BBS	M4x22	32	74	34	22	Brushed Brass



STRAIGHT CUP HANDLE						
Code						Finish
RME11416938CP	M4x22	96	102	19	31	Chrome Plated
RME11416912MB	M4x22	96	102	19	31	Matt Black
RME11416924BP	M4x22	96	102	19	31	Brass Plated





CONTEMPORARY HANDLES



HABIT HANDLE
Push to Open

furnipart

Code					Finish
RF547320050BLK	Adhesive	50	4	30	Matt Black
RF547320050IL	Adhesive	50	4	30	Satinless Steel



FALL HANDLE

furnipart

Code						Finish
RF434320128MB	M4X22	128	240	30	20	Matt Black



PILLAR HANDLE

furnipart

Code						Finish
RF547620160MB	M4X22	172	160	30	14	Matt Black

CONTEMPORARY CAST IRON HANDLES



FLEUR KNOB

furnipart

Code					Finish
RF300030046BLK	M4X22	46	30	46	Cast Iron Black



PROVENCE HANDLE

furnipart

Code						Finish
RF300010160BLK	M4X22	160	178	36	13	Cast Iron Black



ART HANDLE

furnipart

Code						Finish
RF300020096BLK	M4X22	96	116	28	30	Cast Iron Black



CONTEMPORARY HANDLES



CUBO HANDLE




Code						Finish
RE0080CL	M4x22	160	205	30	25	Dull Chrome
CUBO KNOB						
RE2079CL	M4x22	16	44	21	27	Dull Chrome
RE2079BC	M4x22	16	44	21	27	Bright Chrome



SEVILLE HANDLE

Stainless Steel

Code						
RDF226192IL	M4x22	192	212	30	7	
RDF226224IL	M4x22	224	244	30	7	
RDF226320IL	M4x22	320	340	30	7	



GRIP HANDLE

Code					Finish
RGRIPNAT16MM	3M	30	18		Natural



ALUMINIUM GRIP HANDLE - 14MM

Code						Finish
RRAH615	M4x25	128	140	21	14	Satin Silver



TOWEL RACK FITTING



Code					Finish
RME11495227IL	CH6X16	30	40X15	3	Inox Look



FLAT D HANDLE

Code						Finish
RTS52003160SC	M4X22	160	195	30	16	Satin Chrome
RTS52003160DG	M4X22	160	195	30	16	Dark Grey
RTS52003160MB	M4X22	160	195	30	16	Matt Black

CONTEMPORARY HANDLES



STRIP HANDLE

Code						Finish
RTS81654DBSN	M4X22	192	205	20	8	Dull Brushed Nickel
RTS81654MB	M4X22	192	205	20	8	Matt Black



AERO HANDLE

Code						Finish
RF52215BLK	M4X22	160	215	35	8	Matt Black



IRIS HANDLE



Code						Finish
RE0136MB	M4X22	160	187	32	20	Matt Black



TAB HANDLE

Code					Finish
RTS0001MB	M4X22	32	50	16	Matt Black



MELON HANDLE

furnipart

Code						Finish
RF1192IL	M4X20	192	226	33	20	Inox look



CORDOBA HANDLE




Code						Finish
RME3771BC	M4X22	160	256	30	30	Bright Chrome





POSTBOX HANDLE (INSET)

Code						Finish
RE5013MC	M4x8	160	170	2	55	Matt Chrome



CONTEMPORARY HANDLES

40MM STRAIGHT EDGE HANDLE				furnipart
Code				Finish
RF419720040BB	CH6X16	40	41	Brushed Brass
RF419720040BLB	CH6X16	40	41	Blackened Bronze
RF419720040RG	CH6X16	40	41	Rose Gold
RF419720040IL	CH6X16	40	41	Inox Look
RF419720040GRY	CH6X16	40	41	Grey
RF419720040ANT	CH6X16	40	41	Anthracite
200MM STRAIGHT EDGE HANDLE				
RF419720200BB	CH6X16	200	41	Brushed Brass
RF419720200BLB	CH6X16	200	41	Blackened Bronze
RF419720200RG	CH6X16	200	41	Rose Gold
RF419720200IL	CH6X16	200	41	Inox Look
RF419720200GRY	CH6X16	200	41	Grey
RF419720200ANT	CH6X16	200	41	Anthracite
350MM STRAIGHT EDGE HANDLE				
RF419720350BB	CH6X16	350	41	Brushed Brass
RF419720350BLB	CH6X16	350	41	Blackened Bronze
RF419720350RG	CH6X16	350	41	Rose Gold
RF419720350IL	CH6X16	350	41	Inox Look
RF419720350GRY	CH6X16	350	41	Grey
RF419720350ANT	CH6X16	350	41	Anthracite



COVER HANDLE - ROUND

Satin chrome

Code					
RTS116128SC	CH6X16	128	156	21	42
RTS116192SC	CH6X16	192	220	21	42
RTS116320SC	CH6X16	320	348	21	42
RTS11632SC	CH6X16	32	49	21	42
Matt Black					
RTS116128MB	CH6X16	128	156	21	42
RTS116192MB	CH6X16	192	220	21	42
RTS116320MB	CH6X16	320	348	21	42
RTS11632MB	CH6X16	32	49	21	42
Brushed Brass					
RTS116128BBRS	CH6X16	128	156	21	42
RTS116192BBRS	CH6X16	192	220	21	42
RTS116320BBRS	CH6X16	320	348	21	42
RTS11632BBRS	CH6X16	32	49	21	42

COVER HANDLE - SQUARE

Code						Finish
RE4010MS	CH6x16	128	168	18	32	Matt Silver
RE4011MS	CH6x16	192	232	18	32	Matt Silver
RE4011WH	CH6x16	192	232	18	32	White
RE4011BL	CH6x16	192	232	18	32	Matt Black
RE4011BB	CH6x16	192	232	18	32	Bright Brass Anodised
3M LENGTH						
RE4012WH	CH6x16		3M	18	32	White
RE4012BL	CH6x16		3M	18	32	Matt Black
RE4012NA	CH6x16		3M	18	32	Natural Anodised
RE4012SSA	CH6x16		3M	18	32	Stainless Steel Anodised

CONTEMPORARY HANDLES

128MM WHALEBONE ARCH HANDLE

Code						Finish
RTS814128SC	M4x20	128	147	5	23	Satin Chrome
RTS814128BN	M4x20	128	147	5	23	Black Nickel
RTS814128MC	M4x20	128	147	5	23	Matt Chrome

96MM WHALEBONE ARCH HANDLE

RTS39696BR	M4x20	96	114	5	28	Brass Plated
RTS39696SC	M4x20	96	114	5	28	Satin Chrome
RTS39696BN	M4x20	96	114	5	28	Black Nickel
RTS39696MC	M4x20	96	114	5	28	Matt Chrome



96MM ARCH HANDLE

Code						Finish
RTS2441SC	M4x20	96	120	10	26	Satin Chrome
RTS2441MC	M4x20	96	120	10	26	Matt Chrome
RTS2441BN	M4x20	96	120	10	26	Black Nickel
RTS2441BL	M4x20	96	120	10	26	Matt Black

192MM ARCH HANDLE

RTS2290MC	M4x20	192	222	10	32	Matt Chrome
RTS2290BN	M4x20	192	222	10	32	Black Nickel

NEW MOON HANDLE

Satin Chrome

Code					
RTS515128SC	M4x20	128	158	30	12
RTS51596SC	M4x20	96	126	24	14

CONTEMPORARY HANDLES



BAND HANDLE
Satin Chrome

Code					
RTS273128SC	M4x20	128	146	30	15
RTS27396SC	M4x20	96	118	32	15



CHANNEL HANDLE

Code						Finish
RTS81622160SC	M4x22	160	170	27	24	Satin Chrome



5 RING HANDLE

Code						Finish
RTS80156SC	5/32x22	96	145	25	15	Satin Chrome
RTS80156BN	5/32x22	96	145	25	15	Black Nickel

CURVELINE HANDLE
Black Nickel

Code					
RTS44096BN	4x22	96	113	21	8

CONTEMPORARY HANDLES



MINI WAVE AND GIANT WAVE HANDLES
Satin Chrome

Code					
RTS945SC	M4x22	32	89	16	25
RTS946SC	M4x22	128	274	20	20



CONE HANDLE
Inox Look



Code					
RME193985IL	M4x22	160	170	30	25



96MM S-BEND HANDLE

Code						Finish
RTS84296MC	M4x20	96	147	5	23	Matt Chrome
RTS84296BN	M4x20	96	147	5	23	Black Nickel



RETRO HANDLE
Satin Chrome

Code					
RTS678128SC	M4x22	128	162	30	15
RTS678256SC	M4x22	256	262	30	15



D HANDLE

Code						Finish
RTS2129BN	M4x22	96	106	10	30	Black Nickel
RTS2129MC	M4x22	96	106	10	30	Matt Chrome



VICTORIA HANDLE

CODE						FINISH
RTS8773SC	M4x22	96	110	22	16	Satin Chrome

CONTEMPORARY HANDLES



CYLINDRICAL KNOB

Matt Silver


Code			
RTS63425MS	M4x22	25	30
RTS63415MS	M4x22	15	22
RTS63412MS	M4x22	12	20
Satin Chrome			
RTS51450810SC	M4x22	10	21
RTS51450820SC	M4x22	20	25
Matt Black			
RTS51450810MB	M4x22	10	21
RTS51450820MB	M4x22	20	25
Brushed Brass			
RTS51450810BBS	M4x22	10	21
RTS51450820BBS	M4x22	20	25



CONE KNOB

Stainless Steel


Code			
RTS6382028SS	M4x22	20	25



DIAMOND KNOB

Satin Chrome

Code			
RTS82270SC	M4x22	36	22



TILE KNOB

Code						Finish
RTS81023BC	M4x22	32	62	30	19	Bright Chrome
RTS81023SC	M4x22	32	62	30	19	Satin Chrome
RTS81023BBS	M4x22	32	62	30	19	Brushed Brass
RTS81023DG	M4x22	32	62	30	19	Dark Grey



MIRROR KNOB

Satin Chrome

Code					
RTSSQ60SC	M4x22	32	60	30	27
RTSSQ40SC	M4x22	32	40	30	27
RTSSQ30SC	M4x22	32	30	30	27



CRYSTAL KNOB - 30MM

Code				Finish
RFZ30CP	M4x25	30	43	Chrome Plated
RFZ30GP	M4x25	30	43	Brass Plated



CRYSTAL KNOB - 40MM

Code				Finish
RFZ40MC	M4x16	38	38	Matt Chrome
RFZ40GP	M4x16	38	38	Brass Plated

CONTEMPORARY HANDLES



TOAD KNOB Satin Chrome				
Code				
RTS8246SC	M4x22	36	25	



TUSCAN KNOB Satin Chrome				
Code				
RTS8279432SC	M4x22	32	32	



PORCELAIN KNOB White				
Code				
RTS8105	M4x30	37		



MUSHROOM KNOB - SMALL BASE				
Code				Finish
RTS20006BR	M4x25	32	22	Brass Plated
RTS20006CH	M4x25	32	22	Bright Chrome
RTS20006SC	M4x25	32	22	Satin Chrome
RTS20006BN	M4x25	32	22	Black Nickel
RTS20006MC	M4x25	32	22	Matt Chrome
RTS20006BC	M4x25	32	22	Matt Black



30MM FLAT BUTTON KNOB				
Code				Finish
RTS95253MB	M4x25	30	22	Matt Black
RTS95253WH	M4x25	30	22	White
RTS95253BBRS	M4x25	30	22	Brushed Brass
RTS95253DG	M4x25	30	22	Dark Grey



34MM BUTTON KNOB Satin Chrome				
Code				
RTS8293834SC	M4x22	34	25	



20MM BUTTON KNOB Satin Chrome				
Code				
RTS3161SC	M4x22	25	26	



34MM RUBY KNOB Satin Chrome				
Code				
RTS8222934SC	M4x22	34	32	



STIPPLE KNOB				
Code				Finish
RTS2028SC	M4x22	34	27	Satin Chrome
RTS2028BN	M4x22	34	27	Black Nickel
RTS2028MC	M4x22	34	27	Matt Chrome



30MM MUSHROOM KNOB				
Code				Finish
RTS30MU	M4x22	30	29	Brass Satin Chrome
RTS30MUSC	M4x22	30	29	Satin Chrome



LITE MUSHROOM KNOB Satin Chrome				
Code				
RTSL39530SC	M4x20	30	20	

BAR HANDLES



BAR HANDLES



TEXTURED BAR HANDLE


Code						Finish
RTS30514128BBR	M4x22	128	188	36	14	Brushed Brass
RTS30514224BBR	M4x22	224	282	36	14	Brushed Brass
RTS30514288BBR	M4x22	288	346	36	14	Brushed Brass
RTS30514128MB	M4x22	128	188	36	14	Matt Black
RTS30514224MB	M4x22	224	282	36	14	Matt Black
RTS30514288MB	M4x22	288	346	36	14	Matt Black
RTS30514128SC	M4x22	128	188	36	14	Satin Chrome
RTS30514224SC	M4x22	224	282	36	14	Satin Chrome
RTS30514288SC	M4x22	288	346	36	14	Satin Chrome



TEXTURED KNOB

Code					Finish
RTS1425BBRS	M4x22	14	25	14	Brushed Brass
RTS1425MB	M4x22	14	25	14	Matt Black
RTS1425SC	M4x22	14	25	14	Satin Chrome

BAR HANDLES



MILD STEEL BAR HANDLE - STAINLESS STEEL LOOK Satin Chrome

Code					
RTS30596SC	M4x22	96	136	35	12
RTS305128SC	M4x22	128	168	35	12
RTS305160SC	M4x22	160	200	35	12
RTS305192SC	M4x22	192	232	35	12
RTS305256SC	M4x22	256	296	35	12
RTS305288SC	M4x22	288	328	35	12
RTS305352SC	M4x22	352	392	35	12
RTS305384SC	M4x22	384	424	35	12
RTS305448SC	M4x22	448	488	35	12
RTS305480SC	M4x22	480	520	35	12
RTS305560SC	M4x22	560	600	35	12
RTS305760SC	M4x22	760	800	35	12

MILD STEEL BAR HANDLE Black Nickel

RTS30596BN	M4x22	96	136	35	12
RTS305128BN	M4x22	128	168	35	12
RTS305160BN	M4x22	160	200	35	12
RTS305192BN	M4x22	192	232	35	12
RTS305288BN	M4x22	288	296	35	12
RTS305352BN	M4x22	352	328	35	12
RTS305448BN	M4x22	448	392	35	12


MILD STEEL BAR HANDLE Matt Black

RTS30596BL	M4x22	96	136	35	12
RTS305128BL	M4x22	128	168	35	12
RTS305160BL	M4x22	160	200	35	12
RTS305192BL	M4x22	192	232	35	12
RTS305288BL	M4x22	288	328	35	12
RTS305352BL	M4x22	352	392	35	12

HOLLOW STAINLESS STEEL BAR HANDLE


Grade 304 stainless steel
Satin Chrome

Code					
CTSH30596SS	M4x22	96	156	35	12
CTSH305128SS	M4x22	128	188	35	12
CTSH305160SS	M4x22	160	220	35	12
CTSH305192SS	M4x22	192	252	35	12
CTSH305288SS	M4x22	288	348	35	12
CTSH305352SS	M4x22	352	412	35	12
CTSH305384SS	M4x22	384	444	35	12



SOLID STAINLESS STEEL BAR HANDLE GRADE 302 STAINLESS STEEL

Code					
RTS2644	M4x22	96	136	10	12
RTS2646	M4x22	128	168	10	12
RTS2648	M4x22	160	200	10	12
RTS2650	M4x22	192	232	10	12
RTS2652	M4x22	288	328	10	12



ANTIQUE HANDLES

ANTIQUE HANDLES



CONE HANDLE



Code						Finish
RME193985AC	M4x22	160	170	30	25	Antique Copper
RME193985BS	M4x22	160	170	30	25	Black Steel



SNAIL HANDLE

(Left Door - Left Hinged)

Code						Finish
RE0091AB	M4x22	96	111	25	27	Antique Brass

SNAIL HANDLE

(Right Door - Right Hinged)

RE0092AB	M4x22	96	111	25	27	Antique Brass
----------	-------	----	-----	----	----	---------------



COMMON HANDLE

Antique Copper

furnipart

Code					
RF535960160AC	M4X22	160	170	32	15




NAUTILUS HANDLE

Matt Pewter



Code					
RE0134MP	M4x22	96	160	23	20



KENTUCKY HANDLE



Code						Finish
RME193968BS	M4x22	160	180	25	25	Black Steel
RME193968MOS	M4x22	160	180	25	25	Matt Old Steel
RME193968AC	M4x22	160	180	25	25	Antique Copper



DERBY HANDLE

Black Steel



Code					
RME193964BS	M4x22	128	169	26	26

ANTIQUE HANDLES



TORONTO CUP HANDLE



Code					Finish
RME113902AC	M4x22	96	120	33	Antique Copper
RME113902AB	M4x22	96	120	33	Antique Brass



STRAIGHT CUP HANDLE



Code						Finish
RME11416968AB	M4x22	96	102	19	31	Antique Brass
RME11416958PE	M4x22	96	102	19	31	Antique Pewter



JOHN HADDON & CO CUP HANDLE

Code						Finish
R16721ABR	6x16	86	95	18	18	Antique Brass
R16721PE	6x16	86	95	18	18	Antique Pewter



HAMILTON CUP HANDLE

Code						Finish
R16720ABR	6x16	150	160	20	23	Antique Brass
R16720PE	6x16	150	160	20	23	Antique Pewter



BUTTERCUP HANDLE

Code						Finish
RTS8038AB	M4x22	64	104	24	24	Antique Brass
RTS8038OT	M4x22	64	104	24	24	Oxidised Tin



SMALL CUP HANDLE

Code						Finish
RTS4016AC	M4x20	64	87	16	64	Antique Copper
RTS4016AB	M4x20	64	87	16	64	Antique Brass
RTS4016PE	M4x20	64	87	16	64	Antique Pewter



ANTIQUE HANDLES



CAMELOT HANDLE

Code						Finish
RCCBH128G	M4x22	128	148	37	18	Antique Gold
RCCBH128N	M4x22	128	148	37	18	Natural
RCCBH128AB	M4x22	128	148	37	18	Antique Brass
RCCBH128BLK	M4x22	128	148	37	18	Black



TUSCAN HANDLE

Code						Finish
RTS81796128APH	M4x22	128	148	35	11	Antique Polished



CASTLE HANDLE

Code						Finish
RTSC638128PE	M4x22	128	152	31	12	Pewter
CASTLE KNOB						
RTSC98445PE	M4x22		45	33	11	Pewter



VICTORIA HANDLE

Code						Finish
RTS8773AB	M4x22	96	110	22	16	Antique Brass
RTS8773OT	M4x22	96	110	22	16	Oxidised Tin



BASTION HANDLE

Code						Finish
RTS82889AB	M4x22	96	165	20	15	Antique Brass
RTS82889PE	M4x22	96	165	20	15	Pewter
RTS82889AC	M4x22	96	165	20	15	Antique Copper
RTS82884AB	M4x22	76	145	20	15	Antique Brass
RTS82884PE	M4x22	76	145	20	15	Pewter



OLIVE VINE HANDLE

Code						Finish
RTS38996AB	M4x22	96	145	25	15	Antique Brass
RTS38996AC	M4x22	96	145	25	15	Antique Copper
RTS38996PE	M4x22	96	145	25	15	Pewter

ANTIQUÉ HANDLES



TELFORD HANDLE



Code						Finish
RME19398358PE	M4X22	160	178	30	10	Antique Pewter
RME19398368AB	M4X22	160	178	30	10	Antique Brass



HALTI HANDLE



Code						Finish
RME19411158PE	M4X22	128	156	30	27	Antique Pewter
RME19411168AB	M4X22	128	156	30	27	Antique Brass



FALL HANDLE

furnipart

Code						Finish
RF43432128AB	M4X22	128	240	30	20	Antique Bronze



PILLAR HANDLE

furnipart

Code						Finish
RF547620160AB	M4X22	172	160	30	14	Antique Brass



OLIVE VINE KNOB

Code				Finish
RTS38932AB	M4X22	28	25	Antique Brass
RTS38932AC	M4X22	28	25	Antique Copper
RTS38932PE	M4X22	28	25	Pewter



BONES KNOB



Code						Finish
RME19411358PE	M4X22	32	48	25	32	Antique Pewter
RME19411368AB	M4X22	32	48	25	32	Antique Brass

ANTIQUE HANDLES



BASTION KNOB					
Code				Finish	
RTS80971AB	M4x22	25	32	Antique Brass	
RTS80971PE	M4x22	25	32	Pewter	
RTS80971AC	M4x22	25	32	Antique Copper	



NAUTILUS KNOB					
Code				Finish	
RE2082MP	M4x25	31	26	Matt Pewter	



DRAGONS EYE KNOB					
Code				Finish	
RCDK32G	M4x30	28	32	Antique Gold	
RCDK32N	M4x30	28	32	Natural	



THRONE KNOB					
Code				Finish	
RTS88632AB	M4x30	28	30	Antique Brass	
RTS88632OT	M4x30	28	30	Oxidised Tin	



MUSHROOM KNOB					
Code				Finish	
RTS80514AB	M4x22	27	33	Antique Brass	
RTS80514PE	M4x22	27	33	Pewter	



LITE MUSHROOM KNOB					
Code				Finish	
RTSL39530AB	M4x20	20	30	Antique Brass	
RTSL39530PE	M4x20	20	30	Pewter	



TEAR DROP HANDLE						
Code					Finish	
RTS81000AB	M4x20	60	27	17	Antique Brass	
RTS81000OT	M4x20	60	27	17	Oxidised Tin	



PARIS DROP HANDLE						
Code					Finish	
RTS80700AB	M4x20	55	17	7	Antique Brass	
RTS80700OT	M4x20	55	17	7	Oxidised Tin	



WOODEN & PLASTIC HANDLES



WOODEN & PLASTIC HANDLES



THIN PLASTIC D HANDLE						
Code						Finish
R1096PLBLK	ST6x28	96	101	28	10	Black
R1096PLWH	ST6x28	96	101	28	10	White



THICK PLASTIC D HANDLE						
Code						Finish
R1696PLBLK	ST6x28	96	109	32	16	Black
R1696PLWH	ST6x28	96	109	32	16	White



PLASTIC MUSHROOM KNOB				
Code				Finish
R40PLMWH	M4x22	40	23	White



POLY MUSHROOM KNOB - BLACK				
Code				Finish
RRSK220	M4x30	32	28	Black



POLY KNOB 32MM				
Code				Finish
RTS32	M4x22	32	28	White



POLY KNOB 44MM				
Code				Finish
RTS44	M4x22	44	32	White

WOODEN & PLASTIC HANDLES



RIDGE D HANDLE

Code						Finish
RTS42113	ST6x28	96	112	24	20	Oak Laquered



ROUND D HANDLE

Code						Finish
RTS42103	ST6x28	96	112	34	16	Oak Laquered



MUSHROOM KNOB

Code				Finish
RRWK287	ST6x28	45	33	Oak Unlaquered
RRWK286	ST6x28	45	33	Oak Laquered
RRWK267	ST6x28	33	30	Oak Unlaquered
RRWK266	ST6x28	33	30	Oak Laquered



MUSHROOM KNOB

Code				Finish
RRWK289	ST6x28	45	33	Pine Unlaquered
RRWK288	ST6x28	45	33	Pine Laquered
RRWK269	ST6x28	33	30	Pine Unlaquered
RRWK268	ST6x28	33	30	Pine Laquered



DUCK FOOT HANDLE

Code						Finish
RTS3303WHBB	5/32x20	76	126	31	17	White/Bright Brass
RTS3303OAKBB	5/32x20	76	126	31	17	Oak/Bright Brass
RTS3303OAKGB	5/32x20	76	126	31	17	Oak/Georgian Brass
RTS3303OAKAC	5/32x20	76	126	31	17	Oak/Antique Copper
RTS3303OAKAB	5/32x20	76	126	31	17	Oak/Antique Brass



ACRYLIC GOLF BALL KNOB

Acrylic & Chrome

Code			
RTSPP64226CH	M4x22	26	36



ACRYLIC BULB KNOB

Code				Finish
RTSPP64029CH	M4x25	29	31	Acrylic & Chrome
RTSPP64032GP	M4x25	32	33	Acrylic & Gold



KITCHEN BINS



PULLOUT UNDERSINK WASTE BIN SYSTEM

Orion Dark Grey

Code	Description
RCOMP488	• 15 Litre • Full extension runners with soft-close system • Total load capacity: 30 kg • Three-dimensional adjustment of the door • Upper shelf in painted steel included • Installation width: 800mm unit • Installation depth: 485mm • Installation height: 316mm

COMPAGNUCCI®
HIGH TECH



45 LITRE TILT BIN

Code	Description
R6245	• Black • 540 X 380 X 315 • Including 45l Tilt Bin Lid: H = 615
R6244	• Steel Bin Bracket 45lt (Black)
R6246	• 45 Litre Tilt Bin Lid
RTS220	• Flap Door Slide • Suitable for Installation in a 450mm Unit with A bottom hinged door.

32 LITRE TILT BIN


Code	Description
R6243	• Black • 530 X 340 X 290
R6242	• Steel Bin Bracket 32Lt (Black)
R6243	• Tilt Bin 32Lt black Addis
R6247	• 32 Litre Tilt Bin Lid
RTS220	• Flap Door Slide • Suitable For Installation In A 400mm Unit with A Bottom hinged door.



GRADE 430

Stainless Steel Door Bin 20 Litre

Code	Description
R6200	• Grade 430 Stainless Steel • Suitable for installation in a 500mm unit with a hinged door. • Left or right assembly. • The lid is opened by means of an automatic mechanism. • The plastic materials are shock-resistant and durable. • An assembly template is provided with each unit.




KITCHEN BINS



DOOR BIN STAINLESS STEEL

15 Litre


Code	Description
R6274	• Suitable for installation in a 400mm unit with a hinged door. • Left or right assembly. • The lid is opened by means of an automatic mechanism. • The plastic materials are shock-resistant and durable. • An assembly template is provided with each unit.



DOOR BIN PLASTIC

15 Litre


Code	Description
R6270MGS Metallic Grey	• Suitable for installation in a 400mm unit with a hinged door. • Left or right assembly. The lid is opened by means of an automatic mechanism. • The plastic materials are shock-resistant and durable. • An assembly template is provided with each unit.
R6270WS White	



PULLOUT BIN WHITE

15 LITRE

Code	Description
R6280	• Suitable for installation in a 300mm unit with a hinged door. • The bin is pulled out manually and slides out on a robust slide mechanism. • The lid is raised automatically by means of a vertical stick. • The plastic materials are shock-resistant and durable.



PULLOUT SOFT CLOSING RECYCLING BINS



ORION PULLOUT BIN 300MM EVOLINE	
Code	Description
R6580EVN430A	300 unit - 40 Litre

D. 502
H. 529*



TOT 40 L



10 min



300 mm

SOFT



ORION PULLOUT BIN 400MM EVOLINE	
Code	Description
R6580EVN440C	400 unit - 58 Litre

D. 502
H. 485*



TOT 58 L



10 min



400 mm

SOFT



ORION PULLOUT BIN 450MM EVOLINE	
Code	Description
R6580EVN445C	450 unit - 58 Litre

D. 502
H. 485*



TOT 58 L



10 min



450 mm

SOFT



ORION PULLOUT BIN 500MM EVOLINE	
Code	Description
R6580EVN450C	500 unit - 80 Litre

D. 502
H. 529



TOT 80 L



10 min



500 mm

SOFT



ORION PULLOUT BIN 600MM EVOLINE	
Code	Description
R6580EVN460C	600 unit - 80 Litre

D. 502
H. 529



TOT 80 L



10 min



600 mm

SOFT



KICKPLATE & ACCESSORIES



90° CORNER FOR ALUMINIUM KICK PLATE

Code	Size
AADPC100	100mm
AADPC	150mm

FLEXIBLE CORNER FOR ALUMINIUM KICK PLATE

AADPFC100	100mm
AADPFC	150mm




ALUMINIUM KICK PLATE 4.0m Length

Code	Size
AALKPL	150mm
AALKPL100	100mm



ALUMINIUM KICK PLATE 4.0m Length Black

Code	Size
AALKPL100BLK	100mm
AALKPLBLK	150mm



FLEXIBLE CORNER FOR KICK PLATE Black

Code	Size
AADPFC100BLK	100mm
AADPFCBLK	150mm

KITCHEN ACCESSORIES



WHITE SPICE TRAYS

Vacuum Formed High Gloss ABS

Code	Description
RSPICE400L	310 x 476 (Trimmable) - 400mm unit
RSPICE450L	357 x 465 - 450mm unit on 500mm runner
RSPICE500	408 x 465 - 500mm unit
RSPICE600	511 x 465 - 600mm unit



WHITE CUTLERY TRAYS

Vacuum Formed High Gloss ABS

Code	Description
RCUT400L	310 x 476 - 400mm unit - FLAT
RCUT450L	357 x 465 - 450mm unit
RCUT450M	380 x 480 - 450mm unit metabox
RCUT450S	357 x 415 - 450mm unit
RCUT500	408 x 465 - 500mm unit
RCUT600	511 x 465 - 600mm unit




METALLIC GREY CUTLERY TRAYS (Trimmable)


Code	Description
RCUT739	400mm unit
RCUT740	450mm unit
RCUT743	500mm unit
RCUT741	600mm unit
RCUT742	900mm unit




RCUT739




RCUT740




RCUT743



RCUT741



RCUT742



KITCHEN ACCESSORIES



900mm Application with 2 X 450mm Tetrax Cutlery Tray





TETRIX CUTLERY TRAY SILVER TRIMMABLE

Code	Description
RCUTS26280SILV	300/350mm Drawer
RCUTS26400SILV	400/450mm Drawer
RCUTS26500SILV	500/550mm Drawer
RCUTS26600SILV	600mm Drawer



CROCKERY RACK

Code	Description
RC300	White epoxy coated Suitable for installation in 300mm unit Pot Drawer 350mm Unit



NON SLIP MAT 1mx480mm

Code	Description
R750TPI3A1-480	Light Grey
R750TPI3C1-480	White
R750TPI3F1-480	Dark Grey



unionPLAST
SINCE 1976

KITCHEN ACCESSORIES



WINE GLASS HOLDER - 1 LAYER
Chrome

RPSH1CH	3 Glasses - 107 x 290 x 35
---------	----------------------------



WINE GLASS HOLDER - 4 LAYER
Chrome

RPSH20CH	12 Glasses - 318 x 290 x 35
----------	-----------------------------

Matt Black

RPSH20MB	12 Glasses - 318 x 290 x 35
----------	-----------------------------



WINE GLASS HOLDER - 2 LAYER
Chrome

RPSH2CH	6 Glasses - 202 x 290 x 35
---------	----------------------------

Matt Black

RPSH2MB	6 Glasses - 202 x 290 x 35
---------	----------------------------



SPICE RACK - PLASTIC
530 x 385

RSPICE3	3 Tier
---------	--------





SPICE RACK CHROME
405 x 382

RSPICE2CH	2 Tier
-----------	--------



SPICE RACK CHROME
405 x 355

RSPICE3CH	3 Tier
-----------	--------





WINE BOTTLE HOLDER
Chrome

RWBH5	5 Ring
RWBH6	6 Ring
RWBH9	9 Ring

Matt Black



RWBH6MB	6 Ring
RWBH9MB	9 Ring

KITCHEN ACCESSORIES



PULLOUT FOLDING IRONING BOARD

RR490	Suitable for installation in 400mm unit Supplied with 100% cotton removable cover
-------	--



STAINLESS STEEL DISH DRYING RACK

Code	Description
RFG565831005600	For 600mm unit
RFG565831008600	For 900mm unit



DISH RACK

Load capacity	16.8Kg - 600mm unit
	25.2Kg - 900mm unit

GLASS RACK

Load capacity	12Kg - 600mm unit
	18Kg - 900mm unit

DRIP TRAY



Please note: Dish Rack, Glass Rack and Drip Tray are not sold separately




3/4 CAROUSEL CHROME

RWCT720CH	• Ø 700 • Suitable for installation in 800mm or 900mm corner unit. • Load capacity: 20Kg
-----------	--



3/4 CAROUSEL PLASTIC

RWCT720	• Ø 700 - White • Suitable for installation in 800mm or 900mm corner unit. • Load capacity: 20Kg
---------	--



KITCHEN ACCESSORIES



WHITE EPOXY COATED VEG BASKET

RVB300	300 Unit	500 x 218 x 100	- All veg baskets 100mm deep - All baskets include 500mm runners except VB450S which includes 450mm runners - Allow 25mm for runner thickness plus 25mm for spacer block - Order spacers separately - RVBS required for white baskets
RVB400	400 Unit	500 x 318 x 100	
RVB450	450 Unit	500 x 368 x 100	
RVB450S	450 Unit	450 x 368 x 100	
RVB500	500 Unit	500 x 418 x 100	
RVB600	600 Unit	500 x 518 x 100	



GRACE VEG BASKET - CHROME

Full Extension

RVB400GRCH	400 Unit	430 x 368 x 140	- Chrome baskets include full extension ball bearing runners - All chrome baskets 140mm deep.
RVB450GRCH	450 Unit	430 x 418 x 140	
RVB500GRCH	500 Unit	430 x 468 x 140	
RVB600GRCH	600 Unit	430 x 568 x 140	



SYNTHETIC WICKER BASKETS

RVBWS400	400 Unit	Natural
RVBWS400M	400 Unit	Mahogany
RVBWS400WH	400 Unit	White
RVBWS450	450 Unit	Natural
RVBWS450M	450 Unit	Mahogany
RVBWS450WH	450 Unit	White
RVBWS500	500 Unit	Natural
RVBWS500M	500 Unit	Mahogany
RVBWS500WH	500 Unit	White
RVBWS600	600 Unit	Natural
RVBWS600WH	600 Unit	White
RVBWS600M	600 Unit	Mahogany

- The wicker baskets are: a uniform colour and have a smooth finish, easy to clean and made of a fully recyclable plastic, polyprop and polyethylene which is a more environmentally friendly plastic than PVC.
- The colour of the basket will not fade over time.
- All Wicker Baskets are 500mm deep x 185mm high, and exclude runners.
- Sizes can vary due to material used.
- Special sizes may be ordered.

The Design Of These Baskets May Vary.



ECONOMY STAINLESS STEEL

Worktop Bin Lid

RWTBSS	Outside Diameter - 270mm
--------	--------------------------



PLASTIC WORKTOP

Inset Bin Lid - Diameter - 240mm

RWTBCHL	Charcoal/ Black
RWTBGRE	Grey
RWTBOAK	Oak
RWTBWH	White

BROOM CLIP

Steel

RADBROOMCLIPCH	Black and Chrome
----------------	------------------



BROOM CLIP

Plastic

RADBROOMCLIPBL	Black
----------------	-------




KITCHEN ACCESSORIES



ALUMINO ALUMINUM DOOR SYSTEM


- The Alumino Aluminum Door System is a simple, effective method of constructing an aluminium framed glass door.
- The hinge and corner connecting joints are fixed to the aluminium frame by means of a fastening screw.
- The rear of the door is covered by an ABS cover strip to create an aesthetically pleasing finish.



ANODISED ALUMINIUM

Door Profile


RFC106	3 metre lengths
--------	-----------------



ANODISED ALUMINIUM

Door Profile

RFC102	3 metre lengths
--------	-----------------



COVER STRIP

Neutral Colour

RFCA6	3 metre lengths
-------	-----------------



GLASS GASKET

Neutral colour

RFCG	• 3 metre lengths • Suitable for 4mm glass
------	---




105° SLIDE-ON STRAIGHT HINGE

R51MS310500000

- For Alumino Door.
- Order Mounting Plate separately.

$H = (14 + A + K) - S$
 H = height of Base Plate
 K = 4 (see aluminium profile)



CORNER CONNECTOR

RFCA4	• 4 Connectors required per door • 4 Fastening screws • Minimum starting point for hinge is 78mm from middle line of corner connector.
-------	--



GAS LIFT 270MM 200N

RTEC9042	• Load Capacity 4.5kg N110 • Extended length 243mm • Includes 2 Snap-on ball fittings for solid and MDF doors
----------	---


RTEC9042

ROLLER SHUTTER PROFILES & ACCESSORIES




60MM ROLLER SHUTTER SLATS
3 Metre Lengths

RRE770145BLK	Black
RRE770145WH	White
RRE770716AL	Aluminium
RRE770716CHAR	Charcoal
RRE770716ICEWH	Ice-White




ROLLER SHUTTER 90° CORNER CONNECTOR

RRE264089BLK	Black
RRE264089GRE	Grey
RRE264089CHAR	Charcoal
RRE264089ICEWH	Ice-White



ROLLER SHUTTER FINGER GRIP



RRE249791AL	Aluminium
RRE249791BLK	Black
RRE249791ICEWH	Ice-White



ROLLER SHUTTER TRACK
3 Metre Length


RRE770124CHAR	Charcoal
RRE770124ICEWH	Ice-White
RRE770124BLK	Black
RRE770124GRE	Grey

Track Groove - Width 17mm and Depth 12,5mm




COVER HANDLE
3 Metre Length

RRE770255	Aluminium
RRE770245	Black
RRE770256	Charcoal
RRE770257	White
RRE770258	Ice-White



CENTRE STOP

RRE779720



ALUMINIUM HANDLE GRIP SECTION

RRE225247 3 metre lengths



HANDLE GRIP

RRE242902 Section Glide

SURFACE MOUNTED TRACK KIT



Pair of spiral tracks



Extension tracks



Center stopper

No fixing screws supplied.

SURFACE MOUNTED TRACK KIT

RRE299B70999	Surface Mount Spiral Track Kit 12mm	APPLICATION This track set can be used for a cupboard opening horizontally as single door (left/right) or as double door. The use in vertical application is not recommended because there is no counter balance system available.
--------------	-------------------------------------	--



• Roller shutter slats sold separately

ROLLER SHUTTER RETROFIT DOORS



ROLLER SHUTTER FLIP DOOR 900 x 780

RRE707711001	Matt White	- The Flip Door combines storage space and functionality beyond the ordinary. - The material is low maintenance and easy to clean. - The Flip Door is flush closing with no visible edges. - The Flip Door is supplied fully installed into a matching MDF carcass / unit.
RRE707711014	Matt Black	
RRE707711016	Titanium	



ALUMINIUM ROLLER SHUTTER DOOR

RRE791629	600 x 1080mm	- Timeless metallic look is an outstanding option for creative interior design. - The material is low maintenance and easy to clean. - The same applies for the frame profiles in cool aluminium finish, which complete the high quality look.
RRE791639	900 x 1080mm	
RRE774700	600 x 1544mm	
RRE774710	900 x 1544mm	



VETROLINE GLASS CASSETTE ROLLER SHUTTER DOOR 600mm x 1000mm

RRE789640 RRE70561402 RRE70561403	Clear Black White	• Using 50mm wide slats of safety glass, the Vetro-line creates a harmonious and two dimensional front. • The safety glass withstands high loads, does not scratch and has a distinctive appeal due to its impressive translucent appearance and excellent surface flatness. • The material is low maintenance and easy to clean. • The same applies for the frame profiles in cool aluminium finish, which complete the high quality look.
900mm x 1000mm		
RRE351023 RRE70561602 RRE70561603	Clear Black White	

ECONOMY WIRE WARE RANGE



PULLOUT SINGLE PANTRY FOR HINGED DOOR

530 x 385 x (1850 - 2150)

RTSW41005


- Suitable for installation in a 450mm unit
- Unit includes 12 chrome baskets on height adjustable guides
- Left or right hand installation
- Height adjustable
- Hinge recommendation:
 - use 175° hinges only
 - 4 hinges per MDF door
 - 5 hinges per SOLID door
- Load Capacity: 65kg



For PULLOUT FRAME
6 per Pantry



CHROME BASKET for DOOR FRAME
6 per Pantry



PULLOUT DOUBLE PANTRY FOR HINGED DOORS

530 x 790 x 1850 (1850 - 2200)

Code

Description

RTSW41006


- Suitable for installation in a 900mm unit
- Unit includes 36 chrome baskets on height adjustable guides
- Height - Fixed
- Hinge recommendation:
 - use 175° hinges only
 - 4 hinges per MDF door
 - 5 hinges per SOLID door
- Load Capacity: 85kg



CHROME BASKET for PULLOUT
FRAME
24 per Pantry



CHROME BASKET for DOOR
FRAME
12 per Pantry



ECONOMY WIRE WARE RANGE



300MM PULLOUT PANTRY

450 x 240 x (1850 - 2200)

RTSW11309


- Full extension runner
- Height adjustable
- Included: 6 chrome baskets
- Load capacity: 65kg

450MM PULLOUT PANTRY


500 x 395 x (1850 - 2200)

RTSW11339

- Full extension runner
- Height adjustable
- Included: 6 chrome baskets
- Load capacity: 65kg



CHROME BASKET for PULLOUT FRAME
6 per Pantry



PULLOUT SPICE LARDER

Standard Bearing Runner

RTSW80150 500 x 145 x 580 - 200 Unit


RTSW80300 500 x 245 x 580 - 300 Unit

PULLOUT SPICE LARDER

Soft Closing Bearing Runner

RTSW200SOFT 500X145X580 - 200 Unit

RTSW300SOFT 500X145X580 - 300 Unit



900MM MAGIC CORNER UNIT

Suitable For Installation In A 900mm Reach-In Unit
530 x 860 x 560

RTSW41008L Left Opening

RTSW41008R Right Opening

COMPAGNUCCI CHROME SOFT CLOSING RANGE



PULLOUT BASE SPICE LARDER

Chrome - soft closing

RCOMP332001150 150 UNIT - Left Hand	• Full extension runners with soft close system • Three-dimensional adjustment of the door • Total load capacity: 30 kg • Fixing position of the runners on the bottom of the cabinet Equipped with bottle holder dividers
RCOMP332S01200 200 UNIT - Left Hand	
RCOMP613005300 300 UNIT - Universal	



MAGIC CORNER


Chrome

RCOMP597D11L 900 Left hand	• Mechanism with high load capacity runner with soft-close • Three-dimensional adjustment of the door • Maximum load per basket: 9 kg (inner), 7 kg (outer) • The upper external basket can be adjusted in height • Installation depth: 485 mm • Installation height: 615 mm • Non-reversible product
RCOMP597S11R 900 Right hand	



>□<	W	K* (min-max)
450	380	860-1020

* K = cabinet internal width



PULLOUT PANTRY

Chrome

RCOMP526S05300 - 300 UNIT	• Full extension roller runners with soft close system • Three-dimensional adjustment of the door • Total load capacity: 120 kg • Maximum load per basket: 10 kg • Installation depth: 494 mm • Height adjustable 1700-1900
RCOMP526S11450 - 450 UNIT	



>□<	W
300	257
450	407

COMPAGNUCCI ORION DARK GREY SOFT CLOSING RANGE



RCOMP613HT05



RCOMP332HT05

PULLOUT BASE SPICE LARDER - ORION DARK GREY Flat Wire

RCOMP332HT05	150 UNIT	• Full extension runners with soft close system • Three-dimensional adjustment of the door • Total load capacity: 30 kg on the right side or crossed • Installation depth: 480 mm • Installation height: 525 mm
RCOMP613HT05	300 UNIT	



HIGHLINE PULLOUT LARDER - ORION DARK GREY 1700-1900

RCOMP526001D	- 150 UNIT	• Full extension runners with soft close system • Three-dimensional adjustment of the door • Total load capacity: 120 kg • Maximum load per basket: 10 kg • Installation depth: 494 mm (504 mm for 520P) • Height adjustable 1700-1900
RCOMP52605D	- 300 UNIT	
RCOMP52611D	- 450 UNIT	



>□<	W
150	107
300	257
450	407

COMPAGNUCCI ORION DARK GREY SOFT CLOSING RANGE



GIRASOLO PULLOUT CORNET SHELVES

Orion Dark Grey

RCOMP721-11DL
RCOMP721-11DR

- Left hand opening
- Right hand opening

- Suitable for installation in a 900mm reach in unit
- Mechanism equipped with soft-close and soft-open system as standard
- Total load capacity: 40 kg
- Maximum load per basket: 20 kg
- Shelves can be adjusted in height
- Installation height (min-max): 620-780 mm
- Non-reversible product



>□<	W	K*
450	410	860

*K = cabinet internal width



PULLOUT FULL EXTENSION BASKET

Orion Dark Grey

RCOMP48211DW450

450 UNIT

RCOMP48215DW600

600 UNIT

RCOMP48221DW900

900 UNIT

- Full extension runners with soft close system
- Total load capacity: 30 kg
- Installation depth: 490 mm
- Installation height: 120 mm



>□<	W
450	414-418
600	564-568
900	864-868



PULLOUT UNDERSINK BASKET

Orion Dark Grey

RCOMP48519



800 UNIT

- Full extension runners with soft close system
- Total load capacity: 30 kg
- Installation depth: 490 mm
- Installation height: 120 mm
- Door brackets with three-dimensional adjustments available on demand



>□<	W
800	764-768

KITCHEN ACCESSORIES



3/4 CAROUSEL Dark Grey

RCOMP37580
2 Shelf

- Maximum load per shelf: 10 kg
- The product is connected to the bottom of the cabinet
- The shelves can be adjusted in height
- The shelves are equipped with a locking system in the closed position
- Installation height: 495 mm

Art.	W	K*
Ø80	360x360	900x900

* K = cabinet internal dimensions

1/2 MOON CAROUSEL Dark Grey

RCOMP37875
2 Shelf

- Maximum load per shelf: 10 kg
- The product is connected to the vertical post of the cabinet
- The shelves can be adjusted in height
- The lower shelf can be connected to the door
- Installation height: 130 mm (for each shelf)
- Left/right reversible product

Art.	W	K*	D
Ø75	410	760	390

* K = cabinet internal width




ACCESSORIES - BEDROOM & BATHROOM


ACCESSORIES - BEDROOM & BATHROOM



APPLICATION FOR ALUMINIUM GUIDES



REAR FIXING



ALUMINIUM SHOE RACK GUIDE PER PAIR

Silver

RA117A (One pair required per rack)


TELESCOPIC SHOE RACK

Silver



RA111A Maximum of Six sets per rack



FIXED TIE AND BELT RACK



PULLOUT TIE AND BELT RACK



TIE AND BELT RACK - PULLOUT


Silver

RA142A Including Plastic Cuff-link Bowl
Closed Length - 510mm
Open Length - 920mm


TIE AND BELT RACK - FIXED

Silver


RA141A Length - 450mm



ACCESSORIES - BEDROOM & BATHROOM



Minimum Cupboard width - 750
Maximum Cupboard width - 1150



UPRIGHT REGULATING DEVICE



20kg Unit

STRENGTH REGULATING DEVICE



20kg Unit


WARDROBE CLOTHES LIFT

Superlift

RA151A Load capacity - 20kg

Standard Lift

RA700A Load capacity - 15kg
Stops in 90° position



PULLOUT TROUSER/SKIRT RACK

RKTP900

Including Runners
No Holders
Suitable for 900mm unit
Depth - 450mm
Width - 868mm
Load capacity : Combination of 25 Trouser/
Skirt rails

PULLOUT TROUSER/SKIRT RACK

RKTP600

Including Runners
No Holders
Suitable for 600 unit
Depth - 450
Width - 578
Load capacity - Combination of
16 Trouser/Skirt rails

RKSH - Skirt Holder

RKTH - Trouser Holder

RKSH and RKTH
must be ordered and invoiced separately.

LAUNDRY AND BATHROOM BINS



PULLOUT LAUNDRY BIN (450)

R6LAB1580PL45 50L - White

D. 458
H. 504



TOT 50 L



10 min



450 mm

SOFT
10 min



PULLOUT LAUNDRY BIN (600)

R6LAB1580PL60 80L - White

D. 458
H. 504



TOT 80 L




10 min



600 mm

SOFT
10 min



ONDA DOOR MOUNTED BIN

5 Litre

RONDABIN5LT White

RONDABIN5LTORIO Orion Grey

W. 174
D. 176
H. 229



TOT 5 L




2 min



RSINKCHANNEL	240X135
--------------	---------



Orion Grey



SHOE RACKS



PULLOUT SHOE RACK - CHROME 600mm	
RK600	• Suitable for 600mm unit • Width - 568mm • Depth - 450mm • Height - 160mm • Includes 450mm Drawer Runner

PULLOUT SHOE RACK - CHROME 900mm	
RK900	• Suitable for 900mm unit • Width - 868mm • Depth - 450mm • Height - 160mm • Includes 450mm Drawer Runner



Bottom and side mountable



ADJUSTABLE SHOE RACK 600 - 900 MM	
RSHOESMALLGRY	Storm Grey
RSHOESMALLWHT	White
RSHOESMALLBLK	Black
ADJUSTABLE SHOE RACK 750 - 1100MM	
RSHOELARGEGRY	Storm Grey
RSHOELARGEWHT	White
RSHOELARGEBLK	Black

PULL DOWN SHOE RACK Black	
RK403	• 3 Tier • Suitable for installation in units up to 1 metre in width



BARN DOOR SYSTEM

SLIDING BARN DOOR KIT

RHA01180	Single Door 2M - Black
RHA01180DB	Double Door 3M - Black



DOUBLE DOOR SYSTEM




SINGLE DOOR SYSTEM




DOUBLE DOOR SYSTEM






ALUMINIUM SLIDING DOOR SYSTEM


SLIDING DOOR UPPER TRACK

RLSD52689UG31	• 3m Length Natural Anodised		
RLSD52689UG31MB	• 3m Length Matt Black		
RLSD52689UG41	• 4m Length Natural Anodised		

SLIDING DOOR BOTTOM TRACK

RLSD52690BT31	• 3m Length Natural Anodised		
RLSD52690BT31MB	• 3m Length Matt Black		
RLSD52690BT41	• 4m Length Natural Anodised		

SLIDING DOOR TOP & BOTTOM PROFILE

RLSDBP69084	• 4m Length Natural Anodised		
RLSDBP69084MB	• 4m Length Matt Black		

SLIDING DOOR VERTICAL PROFILE

RLSDVPH13011	• 2.7m Length Natural Anodised		
RLSDVPH13011MB	• 2.7m Length Matt Black		

SLIDING DOOR VERTICAL GRIP PROFILE

RLSDVPHGRIP011	• 2.7m Length Natural Anodised	
----------------	-----------------------------------	---

SLIDING DOOR H PROFILE

RFSD603322004	• LXD3022 • 4m Length Natural Anodised	
---------------	--	---

ROLLER WHEEL SET FOR SLIDING DOOR

RFSD603100081	
• 1 Set needed per door	

SLIDING DOOR BRUSH PER METRE (Anti Slam)


RFSD603100250	
---------------	---

SLIDING DOOR GASKET (GLASS DOORS) Clear


RFSD603100027	
• 2.7m Length • Used with 5mm safety Glass	

SOFT CLOSING MECHANISM For Aluminium Sliding Door System


RFSDMECHANISM




CALCULATING DOOR WIDTH




CALCULATING CUTTING SIZES FOR THE PROFILES:

Upper Guide & Bottom Track		Opening Width 1mm
Vertical Profile		Opening Height 33mm
Top & Bottom Profile		Door Width 68mm
H-Profile		Door Width 68mm



DOMINO SLIDING DOOR SYSTEM




DOMINO SLIDING DOOR SYSTEM

- Top hung system
- Solution for 2 & 3 sliding doors
- Integrated safety stops and anti-lift features
- Door weight up to 50kg
- Easy and rapid assembling with optional EasyFix door brackets

True to their motto, "value for many", FGV have designed a state of the art sliding door solution, The Domino. Both materials and components used are chosen for their ability to deliver perfect functioning at an affordable price. The different components of the system are easy to assemble. Safety stop and anti-lift features are an integral part of the design.

Domino 

**BETTER ACCESS
BETTER LIVING**




DOMINO SLIDING 3 DOOR KIT

Door Thickness = 16-21mm

RF590DM307000R0

Kit contains:

- 2 top ball bearing rollers for external door (central)
- 4 top ball bearing rollers for internal door, equipped with slowmotion activator
- 2 bottom gliders for external door
- 4 bottom gliders for internal doors
- 2 lateral door stops for application without slowmotion
- 2 lateral door stops for slowmotion solution
- 1 central door stop for application without slowmotion
- 2 stabiliser blocks to straighten the top profile
- 2 bottom stops
- 2 sets of plastic brackets for slowmotion fixing Fittings and slowmotion's fixing screws assembly instruction.



DOMINO SLIDING 2 DOOR KIT

Door Thickness = 16-21mm

RF590DM207000R0

Kit contains:

- 2 top ball bearing rollers for external door, one of which is equipped with slowmotion activator
- 2 top ball bearing rollers for internal door, equipped with slowmotion activator
- 2 bottom gliders for external door
- 2 bottom gliders for internal door
- 2 lateral door stops for application without slowmotion
- 2 lateral door stops for slowmotion solution
- 2 stabiliser blocs to straighten the top profile
- 2 bottom stops
- 2 sets of plastic brackets for slowmotion fixing Fittings and slowmotion's fixing screws assembly instruction.

RF590DMB0AS3000

DOMINO TOP ALUMINIUM RAIL
3M



RF590DMB0AI3000

DOMINO BOTTOM ALUMINIUM RAIL
3M





ELECTRICAL & LIGHTING

powerlogic
innovative power technologies

SA (Pty) Ltd.



ELECTRICAL & LIGHTING - POWERDOCKS

POWERDOCK: STANDARD SILVER

RPD6050S

Powerdock provides a stylish power solution for the home office, kitchen, garage or bedroom.

Powerdock has 3x SA sockets and 3x 2 pin sockets.

Mounting:

- Mounted in counter top or cupboards.
- Vertical, horizontal, or inverted.

Colours:

- Black / Silver – black sockets
- Champagne / Sand – sand sockets

Features:

- Overload switch
- 3 x SA sockets
- 3x 2pin sockets
- 2m SA cable
- Cutout size: 80mm or 3 3/4"

Operating Information:

- Voltage: 220-240 VAC 50hz
- Current: 15 amp max



MANUAL
LIFT

POWERDOCK : SILVER WITH USB CHARGE PORT

RPD6050MK1.1C

Powerdock SOHO is designed for the home office.

Mounting:

- Mounted in desk, countertop, cupboard.
- Vertical.

Colours:

- Black / Silver
- Colour selection for sockets

Features:

- Brushed aluminium lid with LED
- Overload switch
- 2 x SA sockets
- 3 x 2pin sockets
- 2 x Data ports - output
- 2 x Data ports - input
- 1 x USB port
- 2m SA cable
- 2m USB cable
- Cutout size: 80mm or 3 3/4"

Operating Information:

- Voltage: 220-240 VAC 50hz
- Current: 15 amp ma



MANUAL
LIFT

POWERDOCK: BLACK & SILVER MK2 PUSH DOWN

RPD6050PD

The MK2 PDO is designed primarily for the kitchen.

Mounting:

- Mounted in countertop
- Vertical

Colours:

- Anodised aluminium
- Black face
- Colour selection for sockets

Features:

- Black top lid
- LED illuminated power indicator ring
- Overload switch
- 2 x SA sockets
- 1 x Shuko
- 2m SA cable
- Cutout size: 95mm or 3 3/4"

Operating Information:

- Voltage: 220-240 VAC 50hz
- Current: 15 amp max



GAS
STRUT

ELECTRICAL & LIGHTING - POWERDOCKS



POWERDOCK : PUSH DOWN MK2 + USB PORT RPD6050MK2C

The MK2 SOHO is designed for the home office.

Mounting:

- Mounted in desk or countertop
- Vertical

Colours:

- Anodised aluminium
- Black face
- Colour selection for sockets

Features:

- Black top lid
- LED illuminated power indicator ring
- Overload switch
- 1 x SA socket
- 1 x Shuko
- 2 x Data / Voice outlet
- 1 x USB port
- 2m SA cable
- 2m USB cable
- 2 x 2m Data / voice lead
- Cutout size: 95mm or 3 3/4"

Operating Information:

- Voltage: 220-240 VAC 50hz
- Current: 15 amp max

**GAS
STRUT**



POWERDOCK BLACK & SILVER - MK3 RPD6050PDMK3

General Information:

- Designed for home office, kitchen, garage or bedroom use.
- Mounted vertically, horizontally or inverted in countertops or cupboards.

Specifications:

- 2 x SA 3 Pin Socket
- 1 x SA 2 Pin Socket
- 1 x New SA 3 Pin Socket
- 1 x Dual USB 2.0 Charging Port (Smart-Charging 2.1A Shared)
- Built-in overload trip switch rated at 15A
- Swivelling Cable Input with M3PPG
- 2m SA to F3PPG Input Lead

Features:

- Dual Port Smart-Charging USB 2.0 built into the top cap with spring-loaded protective cover
- Swivelling Cable Input
- Allows for most plug tops to remain plugged in with unit in closed/down position
- Chrome handle doubles as cable exit for attached plug tops
- Illuminated locking clip includes "power on" LED indicator Colours
- Cutout size: 95mm or 3 3/4"

Colours: Black / Silver

Voltage: 250V AC at 50hz

Current: 15 Amp Max

**MANUAL
LIFT**

ELECTRICAL & LIGHTING - POWERDOCKS

POWERDOCK - BLACK & SILVER MK3 SINGLE USB CHARGER

RPD6050PDOMK31C

General Information

• The new PDO Mk3.1C is an advanced pull-up unit that has been designed to incorporate all the key features from our most popular products in the range. This stylish concealed power outlet system, with four power sockets (2 X SA 3 pins, 1 X SA 2 pin and 1 X New SA 3 pin), can be mounted vertically, horizontally, or even upside down. It neatly retracts into the mounting surface when not in use and has the ability to retract with power still plugged in. When you want to connect appliances to power, simply pull it up and it automatically locks into position, ready for use.

Specifications:

- 2 x SA 3 pin
- 1 x 2 SA pin
- 1 x New SA 3 pin
- 1 x Single USB 2.0 Charging Port
- 2m SA Input Cable

Features:

- Single charging USB located in body of unit.
- Swiveling Cable Input.
- Designed so that plug tops can remain connected to the unit when in the down position.
- Chrome handle doubles as cable exit for attached plug tops.
- Illuminated locking clip doubles as a "power on" indicator.
- Blank top.
- Cutout size: 95mm or 3 3/4"

Colour: Black/Silver



POWERDOCK - ROTADOCK FLUSH - SILVER

RPD6050ROTADOCK

Specifications:

- 1 x SA 3 Pin Socket 16A
- 1 x SA 2 Pin Socket Round 16A
- 1 x New ZA 3 Pin Socket 16A
- USB Charging Ports A&C 3.5A shared.
- 2m SA Input Lead

Features:

- User-friendly with shuttered power outlets
- Powder coated aluminium escutcheon.
- Easy installation
- Four ratchet clips quickly and easily slide on to fasten the unit in its mounting cut-out.
- Flush mounting: When closed, the unit sits almost flush with work surface to minimise obstruction
- Raised Interface, the unit is raised above the mounted surface to reduce spill fluid ingress when in the open position.

Colours:

- Silver

Voltage:

- 250V AC at 50hz

Current:

- 15 Amp Max
3300 Watts



ELECTRICAL & LIGHTING - POWERDOCKS

ACE - FLUSH



POWERDOCK - ACE - FLUSH DUAL CHARGE 2.1

RPDACEFLUSHBLK	Black
RPD605ACEFLSHGR	Grey
RPD605ACEFLSHWH	White

ACE - RAISED



POWERDOCK - ACE - RAISED DUAL CHARGE

RPDACERAISEDBLK	Black
RPD605ACERSDGRE	Grey
RPD605ACERSDWH	White

POWERDOCK WIRELESS CHARGER

White

RPD6050WIRELESS

Get rid of messy cables cluttering your work surface. Try the Wireless Mobile Phone Charger.



POWERDOCK - PUNTO

Dual USB Charger - 80mm

RPD6050PUNTOBLK
RPD6050PUNTOSIL
RPD6050PUNTOWH

Black
Silver
White

General Information

- The Punto range is a complementary addition to any desktop and consists of two 80mm units coupled with keystone peripherals of your choice. The unit is simply placed in a pre-cut hole and fastened with an easy-to-screw on locking collar. Take the opportunity to fill in the blanks around your office or home with the Punto Range.

Application:

- Through - Desk
- Static

Colours:

- Black / White / Grey

Current:

- 15 Amp Max



ELECTRICAL & LIGHTING



LED CABINET LIGHT WITH MOTION SENSOR

(W/O Battery) 275mm

RTS18135B

- Easy To Install
- Works with batteries
- Activated by motion sensor
- Deactivated after 20 seconds without motion
- For applications in bedrooms, staircases and kitchens



LEGS & CASTORS



ADJUSTABLE LEGS



**ROUND ADJUSTABLE LEG
50MM WITH STEEL BASE**
Satin Nickel

AALR100X50	100x50mm
AALR150X50	150x50mm

**ROUND ADJUSTABLE LEG
50MM WITH PLASTIC BASE**
Brushed Satin Nickel

ADJLEG50X50	50x50mm
ADJLEG100X50	100x50mm
ADJLEG150X50	150x50mm



ROUND ADJUSTABLE LEG 30MM
Brushed Satin Nickel

AALR100X30	100 x 30mm
AALR150X30	150 x 30mm

ROUND ADJUSTABLE LEG 30MM
Black

AALR100X30BLK	100 x 30mm
AALR150X30BLK	150 x 30mm



SQUARE ADJUSTABLE LEG
Brushed Satin Nickel

AALS100X25	100 x 25 x 25mm
AALS150X25	150 x 25 x 25mm

SQUARE ADJUSTABLE LEG
Black

AALS100X25BLK	100 x 25 x 25mm
AALS150X25BLK	150 x 25 x 25mm



**ROUND LEG WITH ADJUSTABLE
TOP PLATE**
Satin Nickel

CABADJ100X50	100x50mm
CABADJ150X50	150x50mm

**ROUND LEG WITH ADJUSTABLE
TOP PLATE**
Black

CABADJ100X50BLK	100x50mm
CABADJ150X50BLK	150x50mm



TAPERED ADJUSTABLE LEG
Brushed Dull Nickel


RTS25125x100BDN	100 x 25mm
RTS25125x150BDN	150 x 25mm

SQUARE ADJUSTABLE LEG
Brushed Satin Nickel

ADJLEGSQ100X50	100 x 50 x 50mm
ADJLEGSQ150X50	150 x 50 x 50mm



ADJUSTABLE TABLE LEGS



80MM WORKTOP LEGS

Code	Description	Colour
RG130710BL	710 x 80mm	Matt Black
RG130710CH	710 x 80mm	Bright Chrome
RG130710SC	710 x 80mm	Satin Chrome
RG130870BL	870 x 80mm	Matt Black
RG130870CH	870 x 80mm	Bright Chrome
RG130870SC	870 x 80mm	Satin Chrome
RG1301100SC	1100 x 80mm	Satin Chrome
RG1301100BL	1100 x 80mm	Matt black



SATIN
CHROME

MATT
BLACK

BRIGHT
CHROME

60MM WORKTOP TABLE LEGS

Code	Description	Colour
RG127710BL	710 X 60mm	Matt Black
RG127710CH	710 X 60mm	Bright Chrome
RG127710SC	710 X 60mm	Satin Chrome
RG127870BL	870 X 60mm	Matt Black
RG127870CH	870 X 60mm	Bright Chrome
RG127870SC	870 X 60mm	Satin Chrome

ADJUSTABLE LEVELLING LEGS & CASTORS

unionPLAST
SINCE 1976



KITCHEN LEG ADJUSTABLE

RKLEG150	- Height Adjustable from 150mm To 180mm 300kg Load Capacity Per Leg.
----------	---

KITCHEN LEG ADJUSTABLE

RKLEG100	- Height Adjustable From 100mm To 130mm 300kg Load Capacity Per Leg.
----------	---

KITCHEN LEG CLIP - UNIVERSAL

RKCLIPUNIV	Dual clips for use with wooden or aluminium kick plate.
------------	---

ADJUSTABLE LEVELLING GUIDES

AALEG10x25	Adjustable Leg 10X70
AALEG8X45	Adjustable Leg 10X35
AALEG10x70	Adjustable Leg 10X25
AALEG10x35	Adjustable Leg 8X45
AALEG8X25	Adjustable Leg 8X25
AALEG8X20	Adjustable Leg 8X20
AALEG6X25	Adjustable Leg 6X25
AALEG6X20	Adjustable Leg 6x20

LEVELLING GUIDES



CLEAR WHEEL CASTORS



CLEAR WHEEL CASTORS

ACIND50WOB	50mm Industrial Castor W/Out Brake	40kg
ACIND50WB	50mm Industrial Castor With Brake	40kg
ACIND75WOB	75mm Industrial Castor W/Out Brake	60kg
ACIND75WB	75mm Industrial Castor With Brake	60kg
ACIND100WOB	100mm Industrial Castor W/O Brake	80kg
ACIND100WB	100mm Industrial Castor With Brake	80kg

GREY WHEEL CASTORS



GREY WHEEL CASTORS

AC50WOB	50mm Industrial Castor Without Brake	40kg
AC50WB	50mm Castor With Break	40kg
AC75WOB	75mm Industrial Castor Without Brake	60kg
AC75WB	75mm Industrial Castor With Brake	60kg

NYLON CASTORS



CASTORS WITH PLATE

ACAFF40WP	40mm Castor With Plate	15kg
ACAFF50WP	50mm Castor With Plate	20kg



CONCEALED HINGES

CLIP - ON HINGES

A premium worldwide brand associated with Roco Fittings for over 25 years.
FGV is built on quality & reliability.

CLICK HINGE INTEGRA WITHOUT DAMPER - FGV

CODE	IMAGE	FIXING TYPE	TECHNICAL DRAWING	OPENING ANGLE
R515SH50500C500 0mm 110 Deg - Screw Fixing				
R515SH60500S500 0mm 110 Deg Dowel Fixing				
R515SH50508C500 8mm 110 Deg Screw Fixing				
R515SH60508S500 8mm 110 Deg Dowel Fixing				
R515SH50515C500 15mm 110 Deg Screw Fixing				
R515SH60515S500 15mm 110 Deg Dowel Fixing				
R515H850545C500 45 Deg Screw Fixing				
R51AH860545S500 45 Deg Dowel Fixing				
R515WH50500C500 0mm 175 Deg Screw Fixing				
R515WH60500S500 0mm 175 Deg - Dowel Fixing				
R515H850590C500 90 Deg Blind Cnr Screw Fixing				
R51AH860530S500 30 Deg Screw Fixing				

CLICK HINGE INTEGRA WITH DAMPER - FGV

CODE	IMAGE		FIXING TYPE	TECHNICAL DRAWING	OPENING ANGLE
R51ASH50500C500 0mm 110 Deg Screw Fixing					
R51ASH60500S500 0mm 110 Deg Dowel Fixing					
R51ASH50508C500 8mm 110 Deg Screw Fixing					
R51ASH60508S500 8mm 110 Deg Dowel Fixing					
R51ASH50515C500 15mm 110 Deg Screw Fixing					
R51ASH60515S500 15mm 110 Deg Dowel Fixing					
R51AH850545C500 45 Deg Screw Fixing					
R51AWH50500C500 0mm 175 Deg Screw Fixing					
R51AWH60500S500 0mm 175 Deg Dowel Fixing					
R51AH850590C500 90 Deg Blind Cnr					

INTEGRA CLICK MOUNTING PLATE - SCREW FIXING

R525A01M5020000	2mm Screw Fixing	
R525A01M5040000	4mm Screw Fixing	

INTEGRA CLICK PLATE - X-PANDO DOWEL

R525AN5M5020000	2mm With X-Pando Dowels 5mm X 9.8mm	
-----------------	--	--







OMM V SHAPED

R525A42M50000	With CAM adjustment - Screw Fixing	
R525A33M50000	Screw Fixing	

INTEGRA CLICK PLATE - CAM ADJUSTABLE WITH EUROSREW



Code	Description	
R52RA47L502A500	2mm With Cam Adjustment & 14mm Euroscrews	
2MM CAM ADJUSTMENT WITH SELF TAPPER SCREWS		
R52RA44L50205000	2mm with Cam Adjustment & Stp Screws	

SLIDE-ON HINGES



HINGES - FGV


GLASS DOOR HINGES



SHORT ARM HINGE / FRAME HINGE



ANTI-SLAM DEVICE & BRACKET



FGV ANTI-SLAM PISTON	
RFG595300	Anti Slam Device
FGV ANTI-SLAM & PUSH TO OPEN BRACKET	
RFG590337	Mounting Bracket



PUSH TO OPEN HINGES & MECHANISMS

R594200P610F00

PUSH TO OPEN DEVICE WITH MAGNET + ADHESIVE PLATE




RFG590337

FGV ANTI-SLAM & PUSH TOP OPEN MOUNTING BRACKET




IDEAL ASSEMBLY:


The One Touch device for door without handles has to be mounted in the corresponding area of the handle.




Installation without mounting bracket





Adjustment




Installation with mounting bracket




PUSH TO OPEN HINGES	FIXING TYPE	TECHNICAL DRAWING	OPENING ANGLE
R51MS15P5000000 0mm 110 Deg - Screw Fixing	 		 
R51MS15P5080000 SLIDE ON HINGE PTO 9mm - Screw Fixing FGV	 		 



**Steel Cruciform
Base Plate
without screws**



HEIGHT	CODE
H = 0	R520201M500100
H = 2	R520201M502100
H = 4	R520201M504100






LEVA WALL HANGING BRACKET



WALL HANGING BRACKET



R535753A100000 LEVA WHITE

- Fixing with wood/chip screws
- Symmetrical hook
- Front adjustment easy to access
- Adjustment screws to avoid accidental dismounting
- Flap for screws covering



WALL HANGING PLATE

R22002707005CF 41X50mm



AEROWING LIFT MECHANISM




AERO WING LIFT STAY MECHANISM - FGV 37mm


R590VW0050000

- Technical specifications:
- The three in one lifter solution:
 - self holding in all positions
 - self lifting and SlowMotion
 - flap with brake
 - 32mm standard cabinet drilling
 - Covers 75°, 90° and 105° angles
 - Can be combined with slowmotion hinges


UP SOLUTION APPLICATION




DOWN SOLUTION APPLICATION



UP SOLUTION APPLICATION



DOWN SOLUTION APPLICATION







AEROPLUS LIFT MECHANISM

AEROPLUS LIFT MECHANISM - FGV R590VPL05000000

- Upwards operation
- Symmetrical mechanism for a smart assembly
- Adjustable for doors up to 20kg weight
- Perfect stay in every position
- 32mm standard cabinet drilling
- Combined with SlowMotion hinges, it confers a perfect movement to the door

Door weight adjustment (kg)

Door height	F1	F2	F3	F4
	1-2-3	4-5-6	7-8-9	10-11-12
300	3~5	5~10	9~15,5	11~20
400	2~4	3,5~7,5	6,5~11,5	8,5~15
500	1,5~3	3~6	5,5~9,5	7~12
600	1,5~2,5	2,5-5	4,5~7,5	6~10



Values given in mm

AEROBUS LIFT MECHANISM





AEROBUS LIFT MECHANISM - FGV R590VBSA9D400

D40 - 2,4-5,5KG DOOR


Technical specifications:

- Upwards operation
- Easy and rapid assembly with click-on door fixing
- No hinges required
- No stabilization bar required
- Door and weight adjustments
- SlowMotion technology for controlled and silent closing


APPLICATION



Cabinet fixing






Door fixing





Adjustments:

Door adjustment



Weight adjustment





DOMINO W - FOLDING DOOR SYSTEM




TECHNICAL SPECIFICATIONS:

- Sliding system for folding hinged doors
- Max door width of 1000mm (500+500), max door thickness of 25mm
- Mechanism max load capacity of 50kg
- Door weight applied to the upper bar
- Application also without lower truck and lower bar





DOMINO W FOLDING DOOR KIT - FGV

R590DW0030000	Folding Door Kit (Excluding Rails)
---------------	-------------------------------------




DOMINO W UPPER RAIL - FGV

R590DWB0ASI2000U	2m Aluminium
------------------	--------------








DOMINO W LOWER RAIL - FGV

R590DWB0AI02000L	2m Aluminium
------------------	--------------







CABX SLIDE ON HINGE WITH MOUNTING PLATE


Economically sourced & priced ranges of hardware for the kitchen
& Furniture industries

HINGE	DRAWING	SINGLE FORM	SINGLE WITH DOWELS	PREPACKED IN PAIRS
	 $H = (14 + A + K) - S$	AFTS145W34 110° STRAIGHT ALL METAL HINGE WITHOUT DOWELS Includes 4 Hole Mounting Plate Tested To 50 000 Cycles	AFTS145WD 110° STRAIGHT OMM ALL METAL HINGE With Dowels Includes 4 Hole Mounting Plate	AFTS145W34P 110° STRAIGHT OMM ALL METAL HINGE without dowels Includes 4 Hole Base Plate 2 per pack
	 $H = (6 + A + K) - S$	AFTS245WI 110° 9MM OFFSET ALL METAL HINGE WITHOUT DOWELS Includes 4 Hole Mounting Plate Tested To 50 000 Cycles	AFTS245WD 110° 9MM OFFSET ALL METAL HINGE WITH DOWELS Includes 4 Hole Mounting Plate	AFTS245W34P 110° OFFSET 9MM ALL METAL HINGE WITHOUT DOWELS Includes 4 Hole Mounting Plate 2 per pack
	 $H = A + K - 1$	AFTS345WI 110° INSET ALL METAL HINGE WITHOUT DOWELS Includes 4 Hole Mounting Plate Tested To 50 000 Cycles	AFTS345WD 110° INSET ALL METAL HINGE WITH DOWELS Includes 4 Hole Mounting Plate	
	 $H = (14 + A + K) - S$	AFQS145WI 45° HINGE ALL METAL WITHOUT DOWELS Includes 4 hole Mounting Plate Tested To 50 000 Cycles	AFQS145WD 45° HINGE ALL METAL WITH DOWELS Includes 4 Hole Mounting Plate	
	 $H = (14 + A + K) - S$	AFMS148WI 165° STRAIGHT CORNER HINGE ALL METAL WITHOUT DOWELS Includes 4 hole Mounting Plate Tested To 50 000 Cycles	AFMS148WD 165° STRAIGHT CORNER HINGE WITH DOWELS Includes 4 hole Mounting Plate Tested To 50 000 Cycles	

CABX SOFT CLOSING CLIP ON HINGE

WITH INTEGRATED SOFT CLOSING DAMPER AND MOUNTING PLATE

SINGLE FORM	
  $H = (14 + A + K) - S$ 	AFTS6190 110° STRAIGHT OMM ALL METAL HINGE WITH INTEGRATED SOFT CLOSING DAMPER Includes 4 Hole Mounting Plate Tested To 50 000 Cycles
  $H = (6 + A + K) - S$ 	AFTS6199 110° OFFSET ALL METAL HINGE WITH INTEGRATED SOFT CLOSING DAMPER 9MM Includes 4 Hole Mounting Plate Tested To 50 000 Cycles
  $H = (14 + A + K) - S$ 	AFTST45 45° HINGE ALL METAL WITH INTEGRATED SOFT CLOSING DAMPER Includes 4 hole Mounting Plate Tested To 50 000 Cycles
  $H = (14 + A + K) - S$ 	AFTS6195 165° CORNER HINGE ALL METAL WITH INTEGRATED SOFT CLOSING DAMPER Includes 4 hole Mounting Plate Tested To 50 000 Cycles




HINGE FIXING PLATE

White

RHINGEFIX

- The Hinge Fxing Plate can be used to secure the cup or the mounting plate to the door and carcass.



BEFORE



AFTER

BI-FOLD LIFT SYSTEM



SALICE BI-FOLD LIFT SYSTEM		MINIMUM			MAXIMUM		
		WIDTH	HEIGHT	KG	WIDTH	HEIGHT	KG
FLMF72XDSN9	720MM 150N+	400	691	3.50	1000	750	9.5
FLMF72XFSN9	720MM 400N+	1000	691	8.50	1500	750	14.5
FLMF91XDSN9	900MM 150N+	400	880	4.50	600	940	7
FLMF91XFSN9	900MM 400N+	600	880	6.50	900	940	10.5

WEIGHT OF THE TWO DOORS (KG)

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
LD - Weak																		
LF - Strong																		

Total height of the two doors from 570 mm to 630 mm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
LD - Weak																		
LF - Strong																		

Total height of the two doors from 631 mm to 690 mm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
LD - Weak																		
LF - Strong																		

Total height of the two doors from 691 mm to 750 mm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
LD - Weak																		
LF - Strong																		

Total height of the two doors from 751 mm to 810 mm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
RD - Weak																		
RF - Strong																		

Total height of the two doors from 880 mm to 940 mm

SALICE

STANDARD LIFT SYSTEM



SALICE STANDARD LIFT SYSTEM		MINIMUM			MAXIMUM		
		WIDTH	HEIGHT	KG	WIDTH	HEIGHT	KG
FRMFXXDSN9D	RHD 150N+	600	320	2.50	1200	400	6
FRMFXXFSN9D	RHD 400N+	900	400	4.50	1000	600	7.5

DOOR WEIGHT (KG)

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
RD - Weak	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
RF - Strong																		

Door height 300 mm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
RD - Weak	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
RF - Strong																		


Door height 400 mm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
RD - Weak	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
RF - Strong																		

Door height 500 mm

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
RD - Weak	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
RF - Strong																		

Door height 600 mm



SALICE

PARALLEL LIFT SYSTEM



SALICE PARALEL LIFT SYSTEM		MINIMUM			MAXIMUM		
		WIDTH	HEIGHT	KG	WIDTH	HEIGHT	KG
FPMFLXXDSN9	440-600MM 150N+	500	440	2.50	800	600	6
FPMFLXXFSN9	440-600MM 400N+	900	440	5.00	1200	600	9
ADD SALICE TORSION BAR							
FPMF59QX739	900MM						
FPMF59Q1039	1200MM						

CHART TO SELECT THE EXACT SYSTEM SUITABLE FOR THE DIMENSIONS AND WEIGHT OF THE DOOR.

	Door weight (Kg)									
	1	2	3	4	5	6	7	8	9	10
PD - Weak										
PF - Strong										

Door height from 360 mm to 600 mm



HINGES - OTHER

ECONOMICALLY SOURCED & PRICED RANGE OF HINGES FOR THE KITCHEN & FURNITURE INDUSTRIES

SELF CLOSING HINGES 5 KNUCKLE PER PAIR

RSCBB	Bright Brass
RSCBMA	Antique Copper
RSCGB	Georgian Brass
RSCCP	Chrome
RSCWH	White

SELF CLOSING HINGE 3 KNUCKLE

ASCH3AB	Antique Brass
ASCH3NP	Nickel Plated

PIANO HINGE



APHEB32COILS	32mm Electro Brass 30m Coils
APHSS32COILS	32mm Stainless Steel 30m Coils

FLUSH HINGES

AFH50EB	50mm Electro Brass
AFH50NP	50mm Nickel Plated
AFH50YP	50mm Yellow Passivated

BUTT HINGE

ABH50BR	50mm Brass
---------	------------





DRAWER RUNNERS FGV & CABX

A premium worldwide brand associated with Roco Fittings for over 25 years. FGV is built on quality & reliability.

DRAWER RUNNERS - FGV


DRAWER RUNNER KIT (H95) FGV TEN	
R58XEAKF135X	350mm
R58XEAKF140X	400mm
R58XEAKF145X	450mm
R58XEAKF150X	500mm

DRAWER RUNNER KIT WITH GALLERY RAIL- (H180) FGV TEN	
R58XEAGF135X	350mm
R58XEAGF140X	400mm
R58XEAGF145X	450mm
R58XEAGF150X	500mm

Ten is the new benchmark in affordable high quality and high performance double wall drawer technology. Ten is a complete range covering all usual applications with clever solutions, Italian design and elegance. The name Ten stands for fulfilment of the highest criteria where every detail counts. The state-of-the-art conception, the use of environmentally friendly materials and production solutions, together with the known focus of Formenti & Giovenzana on the most cost efficient process give to this new product the best possible rating of 10/10.




• TESTED TO 120,000 CYCLES



FRONT DRILLING AND DIMENSIONS



Front drilling & dimensions



Drawer	Z
350	345.5
400	395.5
450	445.5
500	495.5
550	545.5

DRAWERS

WOODEN BACK PANEL DIMENSIONS



DRAWER RUNNERS - FGV

ACCESSORIES FOR FGV TEN INTERNAL DRAWER SOLUTION

BACK BRACKET - WOOD BACK PANEL

R58AXPW1000000	Back bracket for wooden Panel
----------------	-------------------------------

RAILING TUBES FOR INTERNAL DRAWER

Polar White


R58RX04F14500000	450mm
R58RX04F15000000	500mm

FRONTAL BRACKETS FOR INTERNAL DRAWER

R58AX4RF10000B00	Bracket for Alu Railing
R58AX40F10000B00	Bracket for Standard Drawer

ALUMINIUM FRONT PROFILE

R58PX4AF11081B00	Polar White - 1081mm
------------------	----------------------




SIDE PANEL FOR STANDARD FGV TEN

SIDE PANEL - STEEL POLAR WHITE


STEEL SIDE PANEL

Polar White

R58SXMOF1500	500mm
--------------	-------



UNDERMOUNT SOFT CLOSING RUNNER



UNDERMOUNT DRAWER RUNNER

Full Extension - Soft Close

R54N665H730Y000 300mm

R54N665H735Y000 350mm

R54N665H740Y000 400mm

R54N665H745Y000 450mm

R54N665H750Y000 500mm



R54N665H755Y000 550mm

BENEFITS FOR THE INDUSTRY

- Large range of standard depths from 250 to 550 mm
- Full extension for complete drawer access
- Very tolerant due to built-in flexibility
- New generation of SlowMotionFR damping with stop-close feature and Final Release feature to always guarantee drawer closure also under adverse conditions
- Easy-Fix rapid fixing for ease of assembly and integrated anti-lift feature
- 3D adjustment for an easy and quick drawer alignment
- Excellent load ability with 30kg dynamic standard capacity throughout the range

BENEFITS FOR THE CONSUMER

- Smooth functioning thanks to new generation of wheel design
- Comfortable full extension for improved accessibility and ease of use
- Lasting quality thanks to optimised materials
- Hidden assembly for high quality perception of the whole cabinet
- Adaptive SlowMotionFR damping for noiseless closing
- High-end OneTouch handleless operation






• SlowMotionFR

All new adaptive stop close damping device ensures a strong damping force and perfect closing of the drawer in every condition.



- Tested to 100 000 cycles

Drawer mounting & dimensions




L	260	310	360	410	460	510	560
A	250	300	350	400	450	500	550

L = EXCEL SLIDE NOMINAL LENGTH
A = DRAWER DEPTH
B = CABINET INTERNAL DEPTH
K = CABINET INTERNAL WIDTH
AV = EXTENSION LOSS
(The On eTouch system is guaranteed for drawers with width max 600 mm)




PUSH TO OPEN UNDERMOUNT RUNNER

DRAWER RUNNER UNDERMOUNT - PUSH TO OPEN - FGV




R54N650H745P000	450mm
R54N650H750P000	500mm



• Tested to 100 000 cycles



Drawer Mounting & Dimensions




SLIM SIDED STEEL DRAWER BOX SOLUTION FOR APPLICATION WITH UNDERMOUNT RUNNERS

EXCEL DRAWER BOX Dark Grey



R900A0135089DG	350x89mm
R900A0140089DG	400x89mm
R900A0145089DG	450x89mm
R900A0150089DG	500x89mm
R900C01450152DG	450x152mm
R900C01500152DG	500x152mm
R900D01450185DG	450x185mm
R900D0150185DG	500x185mm

EXCEL DRAWER BOX White

R900A0135089W	350X89mm
R900A0140089W	400X89mm
R900A0145089W	450X89mm
R900A0150089W	500X89mm
R900C01450152W	450X152mm
R900C01500152W	500X152mm
R900D01450185W	450X185mm
R900D0150185W	500X185mm




KB : Cabinet Width
WL : Internal Cabinet Width
NL: Normal Length




Back Plate (B Plate)
Height 89mm = 62mm
Height 152mm = 126mm
Height 185mm = 158mm


Back Plate (A Plate)
L-300mm=288mm
L-400mm=388mm
L-450mm=438mm
L-500mm=488mm
L-550mm=538mm




Front Plate (C-Plate)




Back Plate (B-Plate)



Cabinet Front edge



Cabinet Front Edge



SLOWMOTION ZETA ANYWAY SOFT CLOSE MECHANISM RETROFIT

Universal solution suitable for all Uniset Drawers and Standard Drawer Runners. The unit is symmetrical and reversible with an anti-lift system.





TABLE SHOWING NUMBER OF SLOWMOTION ZETA ANYWAY RECOMMENDED:

		BASE					
DEPTH		300 350	400 450	500	600	700	800 900
	270	1	1	1	1	2	2
	300	1	1	1	1	2	2
	350	1	1	1	1	2	2
	400	1	1	1	1	2	2
	450	1	1	1	2	2	2
	500	1	1	2	2	2	2
	550	1	1	2	2	2	2
	600	1	1	2	2	2	2

ZETA ANYWAY SLOWMOTION MECHANISM

RF5907201ZOX020


ZETA BRACKET FOR STANDARD DRAWER RUNNER TS

RF59072S01Z0020


ZETA BRACKET FOR UNISET/METABOX RUNNERS

RF59072D01Z0020

FGV UNISET DRAWER APPLICATION



STANDARD FGV DRAWER RUNNER APPLICATION



FGV ECONOMY SLIDES




DRAWER RUNNER WHITE - FGV

RTS603WH	400mm
RTS604WH	450mm
RTS605WH	500mm

- Self Closing
- Dynamic load: 25kg
- 1.2mm thick
- Bottom mounting
- Tested to 50,000 cycles

FGV ECONOMY BALL BEARING SLIDES

SIDE FIXING POSITIONS



BALL BEARING RUNNER FULL EXTENSION - 45mm

RTS613	400mm
RTS614	450mm
RTS615	500mm



- Full Extension
- Dynamic load: 45kg
- Side Fixing
- Unlocking Device
- Tested to 50,000 cycles



DRAWER INSTALLATION DIMENSIONS

L	A	B	C	D	E	F	G	H
300	300	295	224	-	-	96	128	-
350	350	345	224	-	-	128	128	-
400	400	395	224	288	-	160	160	-
450	450	445	224	352	-	160	192	81
500	500	495	224	352	416	192	224	-
550	550	545	224	352	416	224	224	-
600	600	595	224	352	480	256	256	-


DRAWER RUNNERS - CABX

ECONOMICALLY SOURCED & PRICED RANGES OF HARDWARE FOR THE KITCHEN & FURNITURE INDUSTRIES

DRAWER RUNNER - WHITE	
ADRUN300MMWH	1.2mm - 300mm
ADRUN350MMWH	1.2mm - 350mm
ADRUN400MMWH	1.2mm - 400mm
ADRUN450MMWH	1.2mm - 450mm
ADRUN500MMWH	1.2mm - 500mm
• Self Closing • Dynamic load: 20kg • 1.2mm thick • Bottom mounting • Tested to 30,000 cycles	




SIDE FIXING POSITIONS



DRAWER RUNNER - WHITE	
ALDRUN300MMWH	0.9mm - 300mm
ALDRUN350MMWH	0.9mm - 350mm
ALDRUN400MMWH	0.9mm - 400mm
ALDRUN450MMWH	0.9mm - 450mm
ALDRUN500MMWH	0.9mm - 500mm
• Self Closing • Dynamic load: 15kg • 0.9mm thick • Bottom mounting • Tested to 30,000 cycles	




INSTALLATION DIMENSIONS



DRAWER RUNNER METABOX	
RMETABOX50150WH	500x150mm White (1.0mm)
RMETABOX50086WH	500x86mm White (1.0mm)
RMETABOX45150WH	450x150mm White (1.0mm)
RMETABOX45086WH	450x86mm White (1.0mm)
• Self Closing • Dynamic load: 25kg • 1mm thick • Tested to 30,000 cycles	




INSTALLATION DIMENSIONS




BALL BEARING DRAWER RUNNERS




BALL BEARING DRAWER RUNNER 35mm Galvanised	
CBB35250GAL	(35mm) - 250MM
CBB35300GAL	(35mm) - 300MM
CBB35350GAL	(35mm) - 350MM
CBB35400GAL	(35mm) - 400MM
CBB35450GAL	(35mm) - 450MM
CBB35500GAL	(35mm) - 500MM
• Self Closing • Dynamic load: 30kg • Side fixing • Tested to 30,000 cycles	




BALL BEARING DRAWER RUNNER 45mm Galvanised	
ABB250GAL	250mm
ABB300GAL	300mm
ABB350GAL	350mm
ABB400GAL	400mm
ABB450GAL	450mm
ABB500GAL	500mm
ABB550GAL	550mm
ABB600GAL	600mm
• Self Closing • Dynamic load: 35kg • Side fixing • Tested to 50,000 cycles	



BALL BEARING DRAWER RUNNER Soft Closing	
RTS811	300mm
RTS112	350mm
RTS813	400mm
RTS814	450mm
RTS815	500mm
• Self Closing • Dynamic load: 35kg • Side fixing • Tested to 50,000 cycles	










BALL BEARING DRAWER RUNNER One Touch - Push To Open	
CBB400OT	400mm
CBB450OT	450mm
CBB500OT	500mm
• Push to open • Dynamic load: 35kg • Side fixing • Tested to 50,000 cycles	






COMPONENTS & CONSUMABLES

	MITRE CONNECTOR HOFMANN KEY • AMC15BRW - Brown 15mm		CLEAR ADHESIVE DOOR BUMPER • RM175 • Sheet of 100
	NAIL GLIDE • ANGBRW - Brown - 19mm • ANGBRW16 - Brown - 16mm • ANGOAK - Oak - 19mm • ANGOAK16 - Oak - 16mm • ANGW - White - 19mm • ANGWH16 - White - 16mm		MUSHROOM CAP COVER FOR DIRECTOR SCREW • RDSC DIRECTOR SCREW • RDS50 • 7 x 50mm
	SHELF SUPPORT - STEEL PIN • RTEC148 • Ø 4.8mm		HOLE COVER • RM411H • White • Ø 5mm
	GLASS SHELF SUPPORT • RTEC6512 • With nylon suction cup • Ø 4.8mm		VEG BASKET SPACER BLOCK • RVBS • 25mm
	PLASTIC SHELF SUPPORT • RM13 • White • Ø 4.8mm		SOCKET • RLISNP111A • Nickel Plated • 6mm
	SHELF SUPPORT - L SHAPE • RTEC2109L • NICKEL PLATED • L-SHAPE • Ø 4.8mm		SOCKET • RLISEB111A • Brass Plated • Ø 6mm BRASS (LOOP) STUD • RLSTEB111 • 6mm
	SHELF SUPPORT WITH STEEL PIN • RM26C - Clear • RM26WH - White • Ø 4.8mm		HINGE HOLE CAP • RM411OAK Oak 35mm • RM411WH White 35mm • Ø 35mm
	NAIL IN SHELF SUPPORT • RF43BRW - Brown • RF43OAK - Oak • RF43 - White	 RM380 MIRROR / GLASS CLIP RM380 - Flush Mount With Screws - 0mm RM384 - Surface With Screws - 4mm Step RM385 - Surface With Screws - 3mm  Technical drawings showing dimensions for RM384 Surface Clip for 4mm glass, RM385 Surface Clip for 3mm glass, and RM380 Glass Clip with flush rebate. Dimensions include 6, 10.5, 7.5, 19, 4, 3, 7, 11, 22, and Ø 3.	
	DRILL IN DOOR BUMPER • RM174 - White • Ø 4.8mm		

 43mm 34mm 12mm 15mm	CAM 15MM • AEC0101B1 STEEL DOWEL FOR CAM • ATR1802B1 • 34mm		MODESTY BLOCK • RM03 White • RM03BRW Brown • RM03OAK Oak
 13 8 Ø20 20 22.3	KNOCK DOWN FITTING • RTEC5040 • Nylon • 20mm • White NYLON KNOCK DOWN FITTING • RTEC547 • 20mm WHITE WITH STEEL CAM EURO SCREW • For RTEC547 / RTEC5040 • RTEC839 - 11mm for TEC547 / TEC5040 • RTEC840 - 8mm for TEC547 / TEC5040		AARWH RECTANGULAR AIR VENT • White • Plastic • 121x38mm
	KNOCK DOWN FITTING • RTEC268 • 4 Piece		PLASTIC ROUND AIRVENT 40MM • RF82 • Ø 32mm
	KD WEDGE FITTING • RF29WH White		PLASTIC ROUND AIRVENT 70MM • RF83 - White • RF83BRW - Brown
	KNOCK DOWN FITTING • RTEC268 • 4 Piece MAGNETIC DOOR CATCH RTS247 - White RTS247BRW - Brown	 L 90 67 L2	AIRVENT ALUMINIUM RDF1850200 • 200X80mm AIRVENT ALUMINIUM RDF1850400 • 400X80mm
	DOUBLE ROLLER CATCH WITH SCREWS • RTS6101		LAZY SUSAN SWIVEL - SMALL • ALSS • 76x76mm LAZY SUSAN SWIVEL - LARGE • ALSL • 178x178mm
	WOODEN DOWELS PER KG • ADB10X40 • ADB10X45 • ADB10X50 • ADB8X40 • RBD8X30		BOOKCASE CLIPS • ABCCLIP
	BISCUITS • RB10 10mm Biscuit - per 100 • RB20 20mm Biscuit - per 100		BOOKCASE STRIPS • ABCSTRIPS • Galvanised • 1.8 Length
			PENCIL TRAY • APTRAYBL • BLACK • 181x344mm

COMPONENTS & CONSUMABLES

 RADMTR RADMG  ASDTBRW	RADMG SLIDING DOOR GUIDE • Trola top RADMTR SLIDING DOOR GUIDE • Trola bottom ASDTWH SLIDING DOOR TRACK • White, per 3.5M length ASDTBRW SLIDING DOOR TRACK • Brown, per 3.5M length
 	DOMES SHELF SUPPORT ADJUSTABLE SATIN CHROME RFJ06102SBSN • 55mm • Shelf maximum thickness • 14mm RFJ06102XBSN • 75mm • Shelf maximum thickness • 20mm
	COMPUTER SLOT • 385mmx 35mm • RM10WH - White
	WIRE MANAGEMENT - 64MM • RM27BLK - Black • RM27LGRE - Light Grey • RM27BRW - Brown • RM27OAK - Oak • RM27GRE - Grey • RM27WH - White • Ø 63mm
	STEEL WIRE MANAGEMENT • RWMX60BSN - Round 60mm • Brushed • Satin Nickel • Ø 60mm
	RWMX80X80BSN Square 80X80mm Brushed Satin Nickel

COVER CAPS - SELF ADHESIVE NOVO	
RKHDNOV01	AGED STONE-36 P/SHT
RKHDNOV02	BALSA-36 P/SHT
RKHDNOV03	CASCADE-36 P/SHT
RKHDNOV04	CHERRY ROY-36 P/SHT
RKHDNOV05	GLACIER-36 P/SHT
RKHDNOV06	LUNAR ASH-36 P/SHT
RKHDNOV07	NAT CONCR-36 P/SHT
RKHDNOV08	NORDIC ICE-36 P/SHT
RKHDNOV09	PURE WHT-36 P/SHT
RKHDNOV10	ROYAL MAHOG-36 P/SHT
RKHDNOV11	SAHARA-36 P/SHT
RKHDNOV12	SYMPHONY-36 P/SHT
RKHDNOV13	TERRA NOVA-36 P/SHT
RKHDNOV14	VERM SLATE-36 P/SHT
RKHDNOV15	WASHED SALE-36 P/SHT
COVER CAPS - SELF ADHESIVE PG BISON	
RKHDPG001	ADHAMERICAN WAL-36 P/SHT
RKHDPG002	AFRICAN WENGE-36 P/SHT
RKHDPG003	BLK CHERRY-36 P/SHT
RKHDPG004	BURG MAHOG-36 P/SHT
RKHDPG005	CADBURY OAK-36 P/SHT
RKHDPG006	CAPPUCCINO-36 P/SHT
RKHDPG007	ESPERANZA OAK-36 P/SHT
RKHDPG008	FOLKSTONE GRY-36 P/SHT
RKHDPG009	WHT-36 P/SHT
RKHDPG010	LANZA OAK-36 P/SHT
RKHDPG011	SHALE OAK-36 P/SHT
RKHDPG012	SUPER BLK-36 P/SHT
RKHDPG013	VERZASCA OAK-36 P/SHT
RKHDPG014	NAT OAK-36 P/SHT
RKHDPG015	STORM GREY-36 P/SHT

COVER CAP PLASTIC FOR POZI SCREW

RF46BLK	BLACK
RF46BRW	BROWN
RF46OAK	OAK
RF46WH	WHITE



ADHESIVE SCREW CAP COVERS 15mm 96 PER SHEET

RKHD02 White



RKHD010 Black




**SONAE
ARAUCO**
Taking wood further

PG BISON

COMPONENTS & CONSUMABLES





TIE RAIL	
RM40H	Chrome 305mm




RTS220	FLAP DOOR SLIDE - White
RCTC	WORKTOP CONNECTOR - 150mm
RFH	SPRUNG FLAP HINGE - White



GAS LIFT 270MM 80N	
RTS001A	Load capacity 4.5kg N80
GAS DOOR LIFT 270MM 200N	
RTEC9042	Load Capacity 6.5kg 200N
GAS LIFT 270MM - SOFT CLOSING	
RGL001SC	80N
RGL003SC	100N



Angle(A)	C	D	X
80 degrees	248	81	25
90 degrees	233	73	25
100 degrees	221	66	25




METAL CROSS BARS




The FGV metal crossbars are designed for the three applications as shown in the drawings:

- 1) Front application
- 2) Back application
- 3) Front application with sink


1) FRONT



2) BACK



3) FRONT WITH SINK



METAL CROSSBAR

Zinc Finish

R59CFG0076000	600mm	In accordance to reduced dimensions and easy assembling, the FGV crossbars guarantee strength and resistance even for wide cabinets. Product features: • precise and permanent distance between the cabinet lateral panels • back panel (4mm masonite) blocked in the upper area • supersede wooden or aluminum crossbars with sensible competitiveness • 2 pieces of the same crossbar code needed for each cabinet • available for cabinet width from 600mm to 1200mm, and for 16 and 18mm panel thickness • made of DX51 pre-galvanized steel
R59CFG0078000	800mm	
R59CFG0079000	900mm	
R59CFG0071000	1000mm	
R59CFG0071200	1200mm	

POSTFORM JOINERS

600MM SQUARELINE JOINERS

RS600R6CALU	SQUARELINE R6 CORNER JOINT ALUMINIUM 600MM
RS600R6CCAP	SQUARELINE R6 CORNER JOINT CAPUCCINO / LIGHT BROWN 600MM
RS600R6CCAR	SQUARELINE R6 CORNER JOINT CAMEL / OAK 600MM
RS600R6CESP	SQUARELINE R6 CORNER JOINT ESPRESSO / BLACK 600MM
RS600R6CLWH	SQUARELINE R6 CORNER JOINT LATTE / WHITE 600MM
RS600R6CMOC	SQUARELINE R6 CORNER JOINT MOCHA / DARK BROWN 600MM
RS600R6EALU	SQUARELINE R6 END TRIM ALUMINIUM 600MM
RS600R6ECAP	SQUARELINE R6 END TRIM CAPUCCINO / LIGHT BROWN 600MM
RS600R6ECAR	SQUARELINE R6 END TRIM CAMEL / OAK 600MM
RS600R6EESP	SQUARELINE R6 END TRIM ESPRESSO / BLACK 600MM
RS600R6ELWH	SQUARELINE R6 END TRIM LATTE / WHITE 600MM
RS600R6EMOC	SQUARELINE R6 END TRIM MOCHA / DARK BROWN 600MM
RS600R6TALU	SQUARELINE R6 T-JOINT ALUMINIUM 600MM
RS600R6TCAP	SQUARELINE R6 T-JOINT CAPUCCINO / LIGHT BROWN 600MM
RS600R6TCAR	SQUARELINE R6 T-JOINT CAMEL / OAK 600MM
RS600R6TESP	SQUARELINE R6 T-JOINT ESPRESSO / BLACK 600MM
RS600R6TLWH	SQUARELINE R6 T-JOINT LATTE / WHITE 600MM
RS600R6TMOC	SQUARELINE R6 T-JOINT MOCHA / DARK BROWN 600MM

900MM SQUARELINE JOINERS

RS900R6CCAP	SQUARELINE R6 CORNER JOINT CAPUCCINO / LIGHT BROWN 900MM
RS900R6CCAR	SQUARELINE R6 CORNER JOINT CAMEL / OAK 900MM
RS900R6CESP	SQUARELINE R6 CORNER JOINT ESPRESSO / BLACK 900MM
RS900R6CLWH	SQUARELINE R6 CORNER JOINT LATTE / WHITE 900MM
RS900R6CMOC	SQUARELINE R6 CORNER JOINT MOCHA / DARK BROWN 900MM
RS900R6EALU	SQUARELINE R6 END TRIM ALUMINIUM 900MM
RS900R6ECAP	SQUARELINE R6 END TRIM CAPUCCINO 900MM
RS900R6ECAR	SQUARELINE R6 END TRIM CAMEL / OAK 900MM
RS900R6EESP	SQUARELINE R6 END TRIM ESPRESSO / BLACK 900MM
RS900R6ELWH	SQUARELINE R6 END TRIM LATTE / WHITE 900MM
RS900R6EMOC	SQUARELINE R6 END TRIM MOCHA / BROWN 900MM
RS900R6TCAP	SQUARELINE R6 T-JOINT CAPUCCINO / LIGHT BROWN 900MM
RS900R6TCAR	SQUARELINE R6 T-JOINT CAMEL / OAK 900MM
RS900R6TESP	SQUARELINE R6 T-JOINT ESPRESSO / BLACK 900MM
RS900R6TLWH	SQUARELINE R6 T-JOINT LATTE / WHITE 900MM
RS900R6TMOC	SQUARELINE R6 T-JOINT MOCHA / DARK BROWN 600MM



640mm POSTFORM JOINERS - ROUNDED

CORNER JOINERS

RPFJ640CAL	640mm	Aluminium
RPFJ640CBK	640mm	Black
RPFJ640CBRW	640mm	Brown
RPFJ640CCAN	640mm	Canyon Oak
RPFJ640CGR	640mm	Granite
RPFJ640CWH	640mm	White

TOP T-JOINER

RPFJ640TAL	640mm	Aluminium
RPFJ640TBLK	640mm	Black
RPFJ640TBRW	640mm	Brown
RPFJ640TCAN	640mm	Canyon Oak
RPFJ640TGR	640mm	Granite
RPFJ640TWH	640mm	White




SHELF BRACKETS




METAL SHELF BRACKETS

RSB125150BLK	Black 125 X 150mm
RSB125150WH	White 125 X 150mm
RSB150200BLK	Black 150 X 200mm
RSB150200WH	White 150 X 200mm
RSB200250BLK	Black 200 X 250mm
RSB200250WH	White 200 X 250mm
RSB250300BLK	Black 250 X 300mm
RSB250300WH	White 250 X 300mm
RSB300350BLK	Black 300 X 350mm
RSB300350WH	White 300 X 350mm




INVISIBLE BRACKET

RADINVBRA	8 x 145
-----------	---------



RM41H	Large Corner Bracket	Plastic White - 44x50x47
RM01H	Medium Corner Bracket	Plastic White - 35x38x25
RM02	Small Corner Bracket	Plastic White - 17x15x22
RM19WH	Double Bracket With Lid	Plastic White - 42x20x20
RM19BRW	Double Bracket With Lid	Plastic Brown - 42x20x20
RM19BLK	Double Bracket With Lid	Plastic Black - 42x20x20
RM19OAK	Double Bracket With Lid	Plastic Oak - 42x20x20
RM19CH	Double Bracket With Lid	Plastic Cherry - 42x20x20
RM19GRE	Double Bracket With Lid	Plastic Grey - 42x20x20
RPREM19WH50	Double Bracket with lid	White - Pack of 50
RM192	Facia Bracket	Plastic White - 90x45x22
ABMS	Corner Bracket Small	Steel White - 30x37x22
RM1950H	Corner Bracket Medium	Steel White - 50x50x15
RM19H	Corner Bracket Large	Steel White - 45x50x36
ABMF	Mounting Bracket Flat	Steel White - 47x82
RM365H	Z Bracket	Steel

IRON MONGERY



RTS7472	64mm Brass Cupboard Lock
RL123	70mm Straight Flush Bolt Nickel
RL123K	70mm Necked Flush Bolt Nickel
RL123BR	70mm Straight Flush Bolt Brass
RL123KBR	70mm Necked Flush Bolt Brass
RH63BNCK	63mm Necked Brass Barrel Bolt
RH63BSTR	63mm Straight Brass Barrel Bolt
RH63CNCK	63mm Necked Chrome Barrel Bolt
RH63CSTR	63mm Straight Chrome Barrel Bolt
RL14	Striker Plate Nickel Plated 32mm
ASPEB	Striker Plate Brass Plated 32mm
AKEYGLD	Gold Key For Plastic Lock
AKEGLD	Escutcheon Plate Brass Plated
AGCMET	Gripper Catch Metal
RTS507	Rooster Catch Brass Plated
RTS507NP	Rooster Catch Nickel Plated

OPTION OF CRANKED OR HOOKED CAM



25MM CAM LOCK - 19X25




RVLC1925CBR	Brass - 25mm with 45mm Cranked Cam
RVLC1925CNP	Nickel - 25mm with 45mm Cranked Cam

30MM CAM LOCK - 19X30

RVLC1930CBR	Brass - 30mm with 45mm Cranked Cam
RVLC1930CNP	Nickel - 30mm with 45mm Cranked Cam



30MM CAM LOCK - 19X30

RVLC1930HNP	Nickel - 30mm with 45mm Hook Cam
-------------	----------------------------------




CENTRAL LOCKING SYSTEM FRONT MOUNT 19 X 22MM

RVLC1858NP	Nickel, 600mm
RVLC1859NP	Nickel, 1200mm





IRON MONGERY



**MORTICE LOCK
19 X 22MM**


RVLC1736NP Nickel



**DRAWER LOCK
19 X 22MM**



RVLC1737NP Nickel

RVLC1737BR Brass




**PUSH LOCK
19 X 22MM**

RVLC1815NP Nickel



**SLAM LOCK
19 X 22MM**


RVLC5109NP Nickel



RCF152



RCF153



- A. Counterpiece
B. Invisilock magnetic lock system for doors
C. Invisilock magnetic opener

INVISI LOCK

RCF153 - Lock
RCF152 - Key


- The most unique magnetic locking system on the market today.
- The ultra secure lock is fixed to the inside of a door and is totally invisible from the outside.
- Invisi Lock locks automatically when the door is closed, and unlocks using a unique and patented magnetic "key".
- The Invisi Lock can be used throughout the home, from kitchens and bathrooms to sheds, garages and offices.
- The Invisi Lock operate through doors made from wood, glass, ceramic tiles, laminates and non-ferrous materials with door thickness of ≤ 25 mm, the Invisi Lock key unlocks the latchbolt so that the door can be opened, particularly suitable as child protection
- Suitable for doors from 12mm to 38mm.
- Material: Plastic
- Finish/colour: White/blue
- Version: With adhesive strips
- Installation: For screw fixing or glue fixing

FUNCTIONALITY

The latchbolt is retracted and the door can be opened when presenting the magnetic key (not supplied). The latchbolt engages automatically when the door is being closed. The door is secured.

SUPPLIED WITH

For magnetic lock system for doors
1 latchbolt lock
1 counterpiece
6 chipboard screws $\varnothing$ 3 mm



IRON MONGERY






ARMSTRONG COMBINATION LOCK

RDLMC003L	Left Hand
RDLMC003R	Right Hand


- High Quality 4 dial lock with metal housing
- Matte Chrome Colour
- For thickness from 18mm - 24-mm
- Left or right model are available for your selection
- Easy to set up and install
- No battery required
- Spare keys are also provided for emergency
- Master key is available to offer

MASTER KEY Removable Core


RKLCKEY	REM/CORE & Drawer Lock
RKLCORKEY	Key For Removal Of Core




1. Open lock and remove standard key



2. Insert removable key (Orange) into lock



3. Remove core from the lock body



4. Insert new core into lock body

DRAWER LOCK - REMOVABLE CORE 19X22


RKLC138CP	Chrome Plated
-----------	---------------



CAM LOCK - REMOVABLE CORE 19X30

RKLC1930CP	Chrome Plated Removable Core
------------	------------------------------

SCREWS & FASTENERS



CHIP BOARD SCREWS:

All nibbed except
6 x16 and 8 x16



POZI DRIVE

CHIPBOARD SCREWS NICKEL PLATED
RCH6X16
RCH6X30
RCH6X40
RCH6X50
RCH8X16
RCH8X30
RCH8X40
RCH8X45
G SCREW
AGES1016 10X16 Pan Head

CHIPBOARD SCREWS YELLOW PASIVATED
ACH4X19
ACH6X16
ACH6X20
ACH6X30
ACH6X40
ACH6X50
ACH8X16
ACH8X20
ACH8X25
ACH8X30
ACH8X35
ACH8X40
ACH8X50
ACH8X60
ACH8X70

SQUARE HEAD DRIVE

CHIPBOARD SCREWS	
NICKEL PLATED	YELLOW PASIVATED
RCHS6X16	ACHS6X16
RCHS6X30	ACHS6X25
RCHS6X40	ACHS6X30
RCHS6X50	ACHS6X40
RCHS8X16	ACHS6X50
RCHS8X30	ACHS8X16
RCHS8X35	ACHS8X25
RCHS8X40	ACHS8X30
	ACHS8X40
	ACHS8X45
	ACHS8X50

* All screws sold per pack of 1000

MACHINE SCREWS METRIC THREAD
RM4X25
RM4X30
RM4X35
RM4X40
RM4X50
DRY WALL SCREWS COURSE THREAD
RDW6X28
RDW6X32
RDW6X41
EURO SCREWS COUNTER SUNK
RE10 - 10,5mm CSK
RE13 - 13mm CSK

POZI BITS	
RTSPOZI125	No 1 Pozi Drive Bit 25mm
RTSPOZI25	No 2 Pozi Drive Bit 25mm
RTSPOZI150	No 1 Pozi Drive Bit 50mm
RTSPOZI50	No 2 Pozi Drive Bit 50mm
RTSPOZIMH	Magnetic Pozi Bit Holder
	
POZI BITS FOR SQUARE HEAD SCREWS	
RTSQU125	Pozi bit Square Drive 1 x 25mm
RTSQU225	Pozi bit Square Drive 2 x 25mm
ASBNO150	Pozi bit Square Drive 1 x 50mm
ASBNO250	Pozi bit Square Drive 2 x 50mm
	



NAIL IN ANCHOR - TRUFIX	
R6X35	6X35 PER 100
R6X55	6X55 PER 100
R6X70	6X70 PER 100
R8X60	8X60 PER 50
R8X75	8X75 PER 50

WOOD INSERT	
AWI1025	0X25mm
RISB8X20	8X20mm
AWI813	8X13mm
RISB6X20	6X20mm
AWI613	6X13mm



DIRECTOR SCREW

RDS50	7x50mm
-------	--------



FURNITURE SCREW



AM680	M6X80mm
-------	---------



CROSS DOWELS

ACD614	6X13mm
--------	--------

PNEUMATIC EQUIPMENT & TOOLS



HF-MINI EASY 3 HINGE BORING MACHINE

RA30EASY3MPRESS	• Manual Press 220V • Working Table cm 700 x 295 • Drilling unit 3 Spindle • Two Tilt Stop • Security Guard upon Drilling Bits Motor Power • Kw: 0.75 • max. panel thickness mm: 40 • Nett Weight kg: 22 • Single-Phase Power Supply Volts: 230V/50-60Hz
-----------------	--

HF - MINI PNEUMATIC HINGE BORING MACHINE

RA30IND0045800	• With Standard Head • Electropneumatic Standard boring head • 0,56 Kw motor • 380 volt, 3 phase motor • Pneumatic hinge insertion • Net weight 50kg
----------------	---

SPARE RULER

RA30INDRULER	1500mm for MACH - FGV
--------------	-----------------------



LIGHT DUTY 18G F NAIL GUN

RALNF50AC	Maximum nail length 50mm
-----------	--------------------------



HEAVY DUTY 16G T NAIL GUN

RALT50LAC



18 GAUGE BRAD NAILS F - SERIES

RKF1815	15mm (5000)
RKF1820	20mm (5000)
RKF1825	25mm (5000)
RKF1830	30mm (5000)
RKF1835	35mm (5000)
RKF1840	40mm (5000)
RKF1845	45mm (5000)
RKF1850	50mm (5000)

16 GAUGE BRAD NAILS T - SERIES

RKT1625	25MM (2500)
RKT1630	30MM (2500)
RKT1635	35MM (2500)
RKT1638	38MM (2500)
RKT1640	40MM (2500)
RKT1645	45MM (2500)
RKT1650	50MM (2500)

21 GAUGE STAPLES - 12.8MM (1/2") CROWN

RK8012	12mm (5,000 per box)
RK8016	16mm (5,000 per box)



UPHOLSTERY STAPLER 21G FINE

RALU8016AC

SILICONE & ADHESIVES



**MIRROR FIX - MS
DEN BRAVEN**

AMSMDDB - 290ml



**HIGH TACK SILICONE BOND
DEN BRAVEN**

AMSBDDB - White 290ml

Mirrorfix MS is a high quality and professional adhesive with extreme high tack properties especially for mirror bonding based on hybrid technology which cures under influence of humidity to form a durable elastic rubber

High Tack has been especially developed as a universal adhesive for bonding many building materials such as: stone, concrete, mirrors, glass, plasterboard, PU, uPVC, hard plastics, enamel, ceramic, copper, lead, zinc, aluminium, metals, stainless steel, HPL and cement



**ALCOLIN FLEXIBLE WOOD
SEALANT - 300ML**

RALC06791	Imbuia
RALC06792	Meranti
RALC06793	Oak
RALC06794	Pine
RALC06795	Black
RALC06796	Cherry
Paintable and sandable	



**SILICONE SEALER
DEN BRAVEN**

AMSCDB	Clear
RASILBLK	Black
RASILWH	White



**ACRYLIC SILICONE
DEN BRAVEN**

AMSADB	White
--------	-------



**UNIVERSAL SILICONE
CONTRACTORS - 270ML**

SIL123975	Clear
SIL123976	White



**ACRYLIC SILICONE
CONTRACTORS - 270ML**

SIL001	White
SIL123974	Grey



**ALCOLIN WOODFILLER
200g**

ASWH200	White
ASPIN200	Pine
ASMER200	Meranti
ASIMB200	Imbuia
ASOAK200	Oak
ASSAP200	Sapele
ASCH200	Cherry
ASBEE200	Beech
ASMAH200	Mahogany
ASNAT200	Natural
ASBLK200	Black



BRUMMER FILLER - 250G

100911BB	Bavarian Beech
100911BC	Black Cherry
100911BK	Black
100911DM	Dark Mahogany
100911GR	Grey
100911IM	Imbuia
100911LO	Light Oak
100911MC	Memphis Cherry
100911ME	Meranti
100911NO	Natural Oak
100911PI	Pine
100911RC	Royal Cherry
100911WH	WHITE



**CONTACT GLUE
ADTEC**

RCONTADH1LT	1 Litre
RCONTADH5LT	5 Litre



**COLD GLUE
ADTEC**

RCGLUE500ML	500ml
RCGLUE5KG	5kg

TUBING & RAIL




15MM CUPBOARD RAIL

RGN42	3 metre length Chrome Plated
-------	------------------------------

CHROME RAIL HOLDERS

RGD10	Chrome End Support
RGD14	Chrome Centre Support




OVAL ALUMINIUM TUBING - 15MM

R118395	5 Metre length
---------	----------------

OVAL ALUMINIUM TUBING - 19MM

R118385A	5 Metre Length
R1183825BLK	2.5M Metre Length - Black
R1183825WH	2.5M metre length - White



OVAL TUBING HOLDERS

RM28	White - 19mm
RM28BLK	Black - 19mm
RM39	Open End - White - 19mm
RM33	Open End - White - 15mm
ARES19	Rod End Support - White - 19mm
RM37AL	Centre Support for 19mm Oval Rod

INDEX

A

A111A	77
A117A	77
A141A	77
A151A	78
A700A	78
AALR150X50	92
AALS100X25	92
ALSS	122
AOVHANDLE256	31
AOVHANDLE320	31

C

CCBH128G	50
CCBH128N	50
CDK32N	52
CUT400L	61
CUT600	61
CUT739	61
CUT740	61
CUT741	61
CUT742	61
CUT743	61

E

E0092AB	48
E0134AB	48
E0134OT	48
E0136MB	37
E0136MC	37
E2079BC	33, 36, 49
E2079CL	33, 36, 49
E2082AB	52
E4010MS	38
E5013MC	38

F

F7160IL	42, 43
FG565831005600	64
FG565831008600	64

G

G127710CH	93
G127710SC	93
G127870BL	93
G127870CH	93
G127870SC	93
G130710CH	93
G130710SC	93
G130870BL	93
G130870CH	93
G130870SC	93

K

K600	81
KTH	78
KTP600	78
KTP900	78

R

R590DM207000R000	84
R590DM307000R000	84
R590DMB0AS300000	83, 84
RAH608	36
RAH615	36
RAK139	37
RCCBH128AB	50
RCCBH128BLK	50
RCUT600	61
RDF226192IL	36
RDF226224BC	36
RDF226224IL	36
RDF226320BC	36
RDF226320IL	36
RDF226480BC	36
RE0091AB	48
RE4011MS	38
RF52215BLK	37
RF419720350IL	38
RFGVLEG	94
RFZ40GP	42
RFZ40MC	42

INDEX

R	PG
RKSH	78
RME3771BC	37
RME3771MC	37
RME193964BS	48
RME193968BS	48
RME193968MOS	48
RME193971BS	48
RME193971MOS	48
RME193971PE	48
RR490	64
RRWK266	55
RRWK286	55
RRWK287	55
RRWK288	55
RSK220	54
RSK232	54
RTS30MUSC	43
RTS2028MC	43
RTS2028SC	43
RTS2129BN	41
RTS2129MC	41
RTS2441BR	39
RTS2602SC	40
RTS8105	43
RTS8246BC	42
RTS25125x150BDN	92
RTS27396SC	40
RTS39696MC	39
RTS39696SC	39
RTS44232LSC	32
RTS80156BN	40
RTS80156SC	40
RTS80971AC	52
RTS81542SC	37
RTS84296BN	41
RTS273128MC	40
RTS273128SC	40
RTS305448BN	46
RTS305480SC	46
RTS814128MC	39

R	PG
RTS3054485C	46
RTS8222934SC	43
RTS8279432SC	43
RTS8293834SC	43
RTS81622160SC	40
RTS81796128APH	50
RTSC98445PE	50
RTSC638128PE	50
RTSL39530AB	52
RTSPP64032GP	55
RTSSQ30SC	42
RTSSQ40SC	42
RTSSQ60SC	42
RVB300	65
RVBWS400	121
RVBWS400WH	65
RVBWS450WH	65
RVBWS500	65
RVBWS500WH	65
RVBWS600WH	65
RWK266	55
RWK268	55
RWK269	55
RWK286	55
RWK289	55
RWTBSS	65
S	PG
SPICE3	63
SPICE3CH	63
SPICE400L	61
SPICE425	61
SPICE450GR	61
SPICE450L	61
T	PG
TS30MU	43
TS32	54
TS44	54
TS220	57
TS613	117
TS614	117

INDEX

T	PG
TS615	117
TS945SC	41
TS946SC	41
TS2127MC	41
TS2290BN	39
TS2290MC	39
TS2441BN	39
TS2441MC	39
TS2441SC	39
TS2602BC	40
TS2602BN	40
TS2602BR	40
TS2602MC	40
TS2644	46
TS2646	46
TS2648	46
TS2650	46
TS2652	46
TS3014BN	42
TS3014SC	42
TS3161BR	43
TS3303OAKAB	55
TS3303OAKAC	55
TS3303OAKBB	55
TS3303WHBB	55
TS8038AB	33, 49
TS8038OT	33, 49
TS8038SC	33
TS8246SC	43
TS8773AB	41, 50
TS8773OT	50
TS8773SC	41
TS18128SS	31
TS18160SS	31
TS18192SS	31
TS18288SS	31
TS20006BN	43
TS20006BR	43
TS20006CH	43
TS20006SC	43
TS30596SC	46

T	PG
TS39696BN	39
TS39696BR	39
TS44096BN	40
TS44096MC	40
TS44264LSC	32
TS51596SC	39
TS63412MS	42
TS63415MS	42
TS63425MS	42
TS80514AB	52
TS80514PE	52
TS80700AB	52
TS80700OT	52
TS80971AB	52
TS80971PE	52
TS81000AB	52
TS81000OT	52
TS81570SC	46
TS81571SC	46
TS81572SC	30
TS81573SC	30
TS81574SC	30
TS81575SC	30
TS82884AB	50
TS82884PE	50
TS82889AB	50
TS82889AC	50
TS82889PE	50
TS84296MC	41
TS88632AB	52
TS88632OT	52
TS305128SC	46
TS305160SC	46
TS305192SC	46
TS305288SC	46
TS305352SC	46
TS305384SC	46
TS305480SC	46
TS515128SC	39
TS814128BN	39




INDEX

NOTES

T	PG
TS814128SC	39
TS6382028SS	42
TSL39530SC	43
TSW11309	71
TSW41006	70
TSW80300	71
V	
VB400	65
VB450	65
VB450S	65
VB500	65
VB600	65
VB600DCH	65
VBW400M	65
VBW450	65
VBW450M	65
VBW500M	65
VBW600M	65
W	
WBH9	63
WCT720	64
WCT720CH	64
WTB	65
WTBCHL	65
WTBGRE	65
WTBOAK	65
NUMBER CODES	
40PLMWH	54
1096PLBLK	54
1096PLWH	54
1696PLBLK	54
1696PLLGR	54
1696PLWH	54
6200	57
6244	57
6245	57
6246	57
6280	58
9303204	18

[illegible]

BRANDS DISTRIBUTED





WWW.ROCO.CO.ZA

Branches

JOHANNESBURG

Unit 26 Eastgate Business Park
Cnr South Road & Marlboro Dr
Sandton

Tel: 011 444 9120

BOKSBURG

Unit 1 Hughes Park
No. 4, Herman Peters Rd
Boksburg

Tel: 011 826 2872

CENTURION

(Boardmart Premises)
Cnr Tlokwa & Mann Avenue
Louwardia
Centurion

TEL: 010 350 0801

BLOEMFONTEIN

2 - 8 Hornby Street
Oranjesig
Bloemfontein

TEL: 051 434 1266

DURBAN

Unit 12 Capital Park
3 Hillhead Drive
Mount Edgecombe
Durban

TEL: 031 569 6969

CAPE TOWN

58 Willow Road
Stikland
Cape Town

TEL: 021 905 1225/6

GQEBERHA (P.E)

42 5th Avenue
Newton Park,
Gqeberha (P.E)

Tel: 041 365 2130



PRODUCT CATALOGUE
THIRTEEN